



January 2017

MCCARTHY QUARRY

Environmental Compliance Approval Annual Report

Submitted to:

Cindy Hood
Ontario Ministry of Environment and Climate Change
Barrie District Office
1203-54 Cedar Pointe Drive
Barrie ON L4N 5R7

REPORT



Report Number: 1407634

Distribution:

1 Copy - Ontario Ministry of Environment Barrie
District Office
1 Copy - Coco Aggregates Inc.
1 Copy - Golder Associates Ltd.





Table of Contents

1.0 INTRODUCTION..... 1

2.0 BACKGROUND..... 1

3.0 EFFLUENT MONITORING 1

 3.1 Effluent Monitoring Requirements..... 1

4.0 EFFLUENT MONITORING RESULTS..... 2

5.0 MEASURED DISCHARGE FROM QUARRY SUMP..... 3

6.0 OPERATIONAL PROBLEMS AND CORRECTIVE ACTIONS TAKEN 3

7.0 MAINTENANCE OF SEWAGE WORKS 3

8.0 EFFLUENT QUALITY ASSURANCE OR CONTROL MEASURES..... 3

9.0 CALIBRATION AND MAINTENANCE OF THE EFFLUENT MONITORING EQUIPMENT 4

10.0 SUMMARY..... 4

FIGURES

Figure 1 – Location Map

TABLES

Table 1 – Condition 7(2) McCarthy Pond Weekly Water Quality Results

Table 2 – Condition 7(2) McCarthy Pond Monthly Water Quality Results

Table 3 – Condition 7(3) McCarthy Pond Water Quality Results

Table 4 – Condition 7(3) SW1 Water Quality Results

Table 5 – Condition 7(3) SW2 Water Quality Results

Table 6 – Lethality Monitoring at McCarthy Pond

Table 7 – Measured Water Volume and Rate of Discharge from Quarry Sump

APPENDIX A

Environmental Compliance Approval No. 4731-987KM8

APPENDIX B

Permit To Take Water No. 7818-9QJNL4

APPENDIX C (on CD)

Water Quality Results



1.0 INTRODUCTION

Golder Associates Ltd. (Golder) was retained by QBJR/Coco Aggregates Inc. (Coco) to prepare the annual compliance report for the McCarthy Quarry located in the Township of Ramara, County of Simcoe (Figure 1), as a requirement of Environmental Compliance Approval (ECA) No. 4731-987KM8 issued on October 15, 2013. A copy of the ECA No. 4731-987KM8 is found in Appendix A.

The following report includes a summary of the requirements listed in Section 10(5) of the ECA for the period from November 1, 2015 to October 31, 2016. Included herein are a summary of:

- Effluent monitoring data including the water quality results and flow measurements;
- Any operation problems encountered;
- Maintenance work completed on any part of the sewage works;
- Effluent quality assurance or control measures undertaken; and,
- Calibration and maintenance carried out on the effluent monitoring equipment.

2.0 BACKGROUND

The McCarthy Quarry dewatering system consists of the collection of groundwater and surface water at the base of the quarry floor to a settling pond to the south of the active quarry area (Figure 1). Groundwater and precipitation that enters the quarry is collected in a sump at the base of the quarry floor. The sump is equipped with a 4-inch Grindex pump which is rated at 35 L/sec and is attached to a 4-inch discharge line. Water is pumped from the quarry floor up the quarry face to a 101 mm diameter pipeline that directs the water to the 14,000 m³ settling pond. The water in the settling pond is equipped with a Hickenbottom control structure that discharges the water to the roadside ditch along Concession Road 1. The water flows eastward along the north side of Concession Road 1 to a municipal drain and eventually to the Talbot River, which discharges into Lake Simcoe.

The dewatering activities from the McCarthy Quarry are currently carried out under the existing Permit to Take Water (PTTW) No. 7818-9QJNL4 (Appendix B) issued on December 30, 2014. Under the current PTTW Coco is permitted to pump water from the quarry sump at a rate of 4,545 L/min.

3.0 EFFLUENT MONITORING

3.1 Effluent Monitoring Requirements

Effluent monitoring is required by the ECA at three locations, as shown on Figure 1:

- McCarthy Pond: the outfall of the settling pond;
- SW1: the culvert along Concession Road 1 at the McCarthy property downstream of the McCarthy Pond discharge location; and,
- SW2: 260 m north of the intersection of Concession Road 1 and Mara Eldon Boundary Road, representing upstream conditions.

Condition 7(2)

Weekly effluent monitoring is required at the McCarthy Pond for Total Suspended Solids (TSS), Oil and Grease and Phenols (4AAP). These results are summarized in Table 1 and the monthly averages are summarized in Table 2.



The weekly effluent samples (Section 7(2)) were collected by staff at the McCarthy Quarry. The weekly quality samples were sent to Maxxam Analytics Laboratory for analysis; laboratory analysis results are included in Appendix C.

Condition 7(3) and Condition 7(7)

Additional water quality sampling is required under Section 7(3) at a semi-annual frequency at all three locations, recognizing that, as of April 24, 2014 this monitoring was reduced from weekly sampling frequency to a semi-annual frequency following one year of quarry operation according to Section 7(7). The parameters required for semi-annual water quality monitoring at all three locations are listed in Table 3 of the ECA.

The semi-annual water quality samples (Section 7(3) and Section 7(7)) were collected by Golder. The semi-annual water quality samples were sent to Maxxam Analytics Laboratory for analysis. The laboratory analysis results are included in Appendix C.

Condition 7(8)

An inline flow meter was installed in the discharge line of the sump pump in order to measure continuous flow rates. The flow rates are recorded and provided to Golder by staff at the McCarthy Quarry. These results are summarized in Table 7.

Condition 8

Monthly lethality monitoring for Rainbow Trout and *Daphna magna* is also required and these results are summarized in Table 6.

The monthly lethality testing was carried out by Golder and sent to AGAT Laboratories Ltd. The laboratory analysis results are included in Appendix C.

4.0 EFFLUENT MONITORING RESULTS

Condition 7(2)

An exceedance of the daily TSS limit of 30 mg/L occurred on November 5, 2015 (Table 1) where TSS concentration was 47 mg/L. No additional exceedances of the daily TSS limit were reported for the remainder of the monitoring period. Based on field observations from Coco and Golder staff during November 2015, the concentration on November 5, 2015 is considered to be anomalous. No exceedances of the monthly TSS limit of 15 mg/L were reported between November 2015 and October 2016 (Table 2). The exceedance on November 5, 2015 was reported to the Ministry of the Environment and Climate Change (MOECC) Barrie District Manager, Cindy Hood. No other exceedances occurred during this monitoring period; the pH, Oil and Grease, Phenols (4AAP) concentrations were all below the monthly concentration limits of the ECA.

The TSS exceedances observed historically at the site are considered to be the result of the small quarry footprint. When the quarry was in its initial stages and the area in which the work was being completed is relatively small, the dust that was generated from the quarry activities settled on the quarry floor which was then repeatedly disturbed by the quarry traffic. In addition to this, the sump is located within this work area which does not allow the rock dust to settle out before it reaches the sump. As the quarry has started to expand and working space increased, the amount of dust entering the sump has decreased. With less dust entering the sump the TSS concentrations seen at the McCarthy Pond started to decrease in 2016.



Condition 7(3)

At the McCarthy Pond, all of the parameters tested are below the Provincial Water Quality Objectives (PWQO) with the exception of phosphorous on October 25, 2016 (Table 3).

At SW1, all of the parameters tested are below the PWQO with the exception of phosphorus and iron on May 30, 2016 (Table 4).

At SW2, all of the parameters tested are below the PWQO with the exception of phosphorous and iron on May 30, 2016 (Table 5). During the October semi-annual effluent monitoring, a sample was not able to be collected from SW2 because it was dry

Elevated phosphorous concentrations are observed upstream, on-Site, and at downstream ditch locations. The presence of elevated phosphorus at all three locations indicates that the phosphorous is most likely the result of farming activities in the area. There are a number of cattle farms in the area which could be attributing to the high phosphorous concentrations at SW1, SW2, and the McCarthy Pond.

Condition 8

The effluent was found to be non-lethal to Rainbow Trout and *Daphnia magna* between November 2015 and October 2016 (Table 6). For both *Daphnia magna* and Rainbow Trout there has been 0% mortality between November 2015 and October 2016, with the exception of 3% mortality of Rainbow Trout in April 2016. In January and February 2016, no acute lethality sample could be taken as the pond was frozen.

5.0 MEASURED DISCHARGE FROM QUARRY SUMP

The rate and volume of discharge from the quarry is measured on-Site by an inline flow meter in the discharge line from the quarry sump. The pump records are provided by McCarthy Quarry staff. The pump records for November 1, 2015 to October 31, 2016 are found in Table 7. The discharge rates were below the permitted rate of 4,545 L/min (76 L/sec).

Additionally, there has been no indication of erosion and/or flooding of the downstream ditches.

6.0 OPERATIONAL PROBLEMS AND CORRECTIVE ACTIONS TAKEN

No operational problems were encountered with the dewatering system during the monitoring period of November 2015 to October 2016. Additionally, no spills occurred during the November 2015 to October 2016 monitoring period.

7.0 MAINTENANCE OF SEWAGE WORKS

No upgrades or maintenance works were carried out on any part of the sewage works during the November 2015 to October 2016 monitoring period.

8.0 EFFLUENT QUALITY ASSURANCE OR CONTROL MEASURES

The shoreline of the settling pond was reseeded during this monitoring period in order to prevent erosion. No other effluent quality assurance or control measures were put in place during this monitoring period.



9.0 CALIBRATION AND MAINTENANCE OF THE EFFLUENT MONITORING EQUIPMENT

No calibration or maintenance of the effluent monitoring equipment was completed between November 2015 and October 2016.

10.0 SUMMARY

- Condition 7(2):
 - All of the weekly effluent monitoring samples from the McCarthy Pond were below the daily concentration limits with the exception of November 5, 2015;
 - Based on field observations from Coco and Golder staff during November 2015, the concentration on November 5, 2015 is considered to be anomalous; and,
 - All of the monthly effluent concentrations for the McCarthy Pond were below the monthly concentration limits.
- Condition 7(3):
 - At the McCarthy Pond, all parameters were below the PWQO with the exception of phosphorous on October 25, 2016;
 - At SW1, all parameters were below the PWQO with the exception of phosphorus and iron on May 30, 2016; and,
 - At SW2 all parameters were below the PWQO with the exception of phosphorous and iron on May 30, 2016.
- Condition 8:
 - The effluent has been non-lethal to Rainbow Trout and *Daphnia magna* throughout the monitoring period (November 2015 to October 2016).
- Condition 7(8):
 - A continuous record of flow rates has been maintained throughout this monitoring period and all water takings were below the permitted rate of 4,545 L/min.



Report Signature Page

GOLDER ASSOCIATES LTD.

Jamie Bonany, M.A.Sc.
Project Scientist



John Easton, M.Sc., P.Geo.
Associate Senior Hydrogeologist

JEB/JAE/plc

Golder, Golder Associates and the GA globe design are trademarks of Golder Associates Corporation.



FIGURES




LEGEND

| | |
|--|---------------------------------|
| | Approximate Property Boundary |
| | Approximate Licenced Boundary |
| | 5 m Contour Line |
| | Surface Water Sampling Location |

REFERENCES AND NOTES

1. Projection UTM NAD83 Zone 17
2. Mapping based on ESRI Geography Network OBM Features and Bing Orthophotos



CLIENT
COCO / QBJR AGGREGATES INC.

PROJECT
STAN MCCARTHY QUARRY

TITLE
LOCATION MAP

| | | |
|------------|------------|------------|
| CONSULTANT | YYYY-MM-DD | 2014-09-02 |
| | PREPARED | STB |
| | DESIGN | |
| | REVIEW | |
| | APPROVED | |



| | | | |
|-------------------------|-------------------|------------|-------------|
| PROJECT No. 14-07634 | SCALE AS SHOWN | Rev. AB | Figure 1 |
|-------------------------|-------------------|------------|-------------|

Path: \\golder\gdr\gait\barrie\CAD\Projects\2014\14-07634 (Barrie)_Coco Enviro and Hydro\0\ABA... | File Name: 1407634\SITE.dwg

IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET SIZE HAS BEEN MODIFIED FROM ANS/A 25 mm



TABLES

Table 1: Condition 7(2) McCarthy Pond Weekly Water Quality Results

| Sample ID | Unit | RDL | PWQO ¹ | Daily Limit ² | McCarthy Quarry | | | | | | | | | | | | | |
|------------------------|------|---------|-------------------|--------------------------|-----------------|-----------|-----------|-----------|----------|-----------|-----------|----------|----------|-----------|----------|-----------|-----------|-----------|
| | | | | | Pond | | | | | | | | | | | | | |
| Date | | | | | 5-Nov-15 | 12-Nov-15 | 20-Nov-15 | 26-Nov-15 | 3-Dec-15 | 10-Dec-15 | 17-Dec-15 | 7-Jan-16 | 4-Feb-16 | 18-Feb-16 | 3-Mar-16 | 10-Mar-16 | 17-Mar-16 | 24-Mar-16 |
| pH | pH | n/a | | 6.0-9.5 | 8.13 | 8.12 | 8.15 | 8.08 | 8.07 | 8.11 | 8.12 | 7.90 | 7.57 | 7.63 | 7.89 | 7.57 | 8.00 | 8.13 |
| Total Suspended Solids | mg/L | 1 | | 30 | 46 | 3 | 5 | 3 | 3 | 3 | 4 | 2 | 2 | <1 | 3 | <1 | 5 | 2 |
| Total Oil and Grease | mg/L | 0.5 | Note 3 | 30 | <0.5 | 1.7 | 1.8 | 1.6 | 0.60 | <0.5 | <0.5 | <0.5 | <0.5 | 0.9 | <0.5 | 0.9 | <0.5 | 1.1 |
| Phenols (4AAP) | mg/L | <0.0010 | | 0.04 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | 0.0027 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |

Notes

1. Provincial Water Quality Objectives (PWQO); shaded cells denote PWQO exceedance; some PWQOs are dependent on other water quality parameters hence the range in guideline values, refer to PWQO notes.
2. Daily Concentration Limit; bolded values denote exceedances in the Permit to Take Waters daily concentration limits.
3. The PWQO for Oil and Grease indicates that oil or petrochemicals should not be present in concentrations that: can be detected as a visible film, sheen or discoloration on the surface, can be detected by odour, can cause tainting of edible organisms, can form detectable deposits on shorelines and bottom sediments.
4. Results that are preceded by "<" denote concentrations that are below the laboratory Reportable Detection Limit (RDL).

Table 1: Condition 7(2) McCarthy Pond Weekly Water Quality Results

| Sample ID | Unit | RDL | PWQO ¹ | Daily Limit ² | McCarthy Quarry | | | | | | | | | | | | | |
|------------------------|------|---------|-------------------|--------------------------|-----------------|----------|-----------|-----------|-----------|-----------|-----------|----------|----------|-----------|-----------|----------|-----------|-----------|
| | | | | | Pond | | | | | | | | | | | | | |
| Date | | | | | 31-Mar-16 | 7-Apr-16 | 15-Apr-16 | 21-Apr-16 | 28-Apr-16 | 19-May-16 | 26-May-16 | 2-Jun-16 | 9-Jun-16 | 16-Jun-16 | 23-Jun-16 | 7-Jul-16 | 14-Jul-16 | 21-Jul-16 |
| pH | pH | n/a | | 6.0-9.5 | 8.09 | 8.09 | 8.16 | 8.27 | 8.29 | 8.09 | 8.72 | 9.04 | 8.82 | 9.07 | 8.79 | 8.55 | 8.39 | 8.80 |
| Total Suspended Solids | mg/L | 1 | | 30 | 2 | <10 | <10 | 4 | <10 | <10 | 4 | 6 | 4 | 6 | 8 | 7 | 7 | 8 |
| Total Oil and Grease | mg/L | 0.5 | Note 3 | 30 | <0.5 | 0.7 | 0.7 | 0.8 | <0.5 | 2.8 | 1.4 | <0.5 | 0.8 | <0.5 | 0.5 | <0.5 | <0.5 | <0.5 |
| Phenols (4AAP) | mg/L | <0.0010 | | 0.04 | <0.001 | <0.001 | NM | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | 0.0014 | <0.001 | <0.001 | <0.001 |

Notes

1. Provincial Water Quality Objectives (PWQO); shaded cells denote PWQO exceedance; some PWQOs are dependent on other water quality parameters hence the range in guideline values, refer to PWQO notes.
2. Daily Concentration Limit; bolded values denote exceedances in the Permit to Take Waters daily concentration limits.
3. The PWQO for Oil and Grease indicates that oil or petrochemicals should not be present in concentrations that: can be detected as a visible film, sheen or discoloration on the surface, can be detected by odour, can cause tainting of edible organisms, can form detectable deposits on shorelines and bottom sediments.
4. Results that are preceded by "<" denote concentrations that are below the laboratory Reportable Detection Limit (RDL).

Table 1: Condition 7(2) McCarthy Pond Weekly Water Quality Results

| Sample ID | Unit | RDL | PWQO ¹ | Daily Limit ² | McCarthy Quarry | | | | | | | | | | | |
|------------------------|------|---------|-------------------|--------------------------|-----------------|-----------|-----------|----------|----------|-----------|-----------|-----------|----------|-----------|-----------|-----------|
| | | | | | Pond | | | | | | | | | | | |
| Date | | | | | 28-Jul-16 | 18-Aug-16 | 25-Aug-16 | 1-Sep-16 | 8-Sep-16 | 15-Sep-16 | 22-Sep-16 | 29-Sep-16 | 6-Oct-16 | 13-Oct-16 | 20-Oct-16 | 27-Oct-16 |
| pH | pH | n/a | | 6.0-9.5 | 8.66 | 8.43 | 8.67 | 8.63 | 8.58 | 8.77 | 8.74 | 8.58 | 8.42 | 8.47 | 8.34 | 8.12 |
| Total Suspended Solids | mg/L | 1 | | 30 | 7 | 15 | 9 | 10 | 11 | 10 | 10 | 7 | 7 | 4 | 8 | 6 |
| Total Oil and Grease | mg/L | 0.5 | Note 3 | 30 | 2.0 | 1.6 | 1.2 | 1.8 | 0.8 | <0.5 | 1.1 | <0.5 | 1.7 | <0.5 | 0.9 | 3.3 |
| Phenols (4AAP) | mg/L | <0.0010 | | 0.04 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | 0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |

Notes

1. Provincial Water Quality Objectives (PWQO); shaded cells denote PWQO exceedance; some PWQOs are dependent on other water quality parameters hence the range in guideline values, refer to PWQO notes.
2. Daily Concentration Limit; bolded values denote exceedances in the Permit to Take Waters daily concentration limits.
3. The PWQO for Oil and Grease indicates that oil or petrochemicals should not be present in concentrations that: can be detected as a visible film, sheen or discoloration on the surface, can be detected by odour, can cause tainting of edible organisms, can form detectable deposits on shorelines and bottom sediments.
4. Results that are preceded by "<" denote concentrations that are below the laboratory Reportable Detection Limit (RDL).

Table 2: Condition 7(2) McCarthy Pond Monthly Water Quality Results

| Sample ID | Unit | RDL | PWQO ¹ | Monthly Concentration Limit ² | McCarthy Quarry | | | | | | | | | | | |
|------------------------|------|---------|-------------------|--|-----------------|----------|---------|----------|--------|--------|--------|-------|--------|--------|-----------|---------|
| | | | | | Pond | | | | | | | | | | | |
| Date | | | | | November | December | January | February | March | April | May | June | July | August | September | October |
| Total Suspended Solids | mg/L | 1 | | 15 | 14.3 | 3.3 | 2.0 | 1.5 | 2.6 | 8.5 | 7.0 | 6.0 | 7.3 | 8.6 | 8.7 | 8.3 |
| Total Oil and Grease | mg/L | 0.5 | Note 3 | 15 | 1.4 | 0.5 | <0.5 | 0.7 | 0.7 | 0.7 | 2.1 | 0.6 | 0.9 | 1.4 | 0.9 | 1.6 |
| Phenols (4AAP) | mg/L | <0.0010 | | 0.02 | <0.001 | 0.0016 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | 0.001 | <0.001 | <0.001 | 0.001 | <0.001 |

Notes

1. Provincial Water Quality Objectives (PWQO); shaded cells denote PWQO exceedance; some PWQOs are dependent on other water quality parameters hence the range in guideline values, refer to PWQO notes.
2. Monthly Concentration Limit; bolded values denote exceedances in the Permit to Take Waters monthly concentration limits.
3. The PWQO for Oil and Grease indicates that oil or petrochemicals should not be present in concentrations that: can be detected as a visible film, sheen or discoloration on the surface, can be detected by odour, can cause tainting of edible organisms, can form detectable deposits on shorelines and bottom sediments.
4. Results that are preceded by "<" denote concentrations that are below the laboratory Reportable Detection Limit (RDL).

Table 3: Condition 7(3) McCarthy Pond Water Quality Results

| Sample ID | Unit | Reportable Detection Limit (RDL) | PWQO ¹ | Interim PWQO ² | PTTW Effluent Limits | McCarthy Quarry | |
|--|---------|----------------------------------|--------------------|---------------------------|----------------------|---|----------------|
| | | | | | | Pond 30-May-16 | Pond 25-Oct-16 |
| Field Measured Parameters | | | | | | | |
| Conductivity | mS/cm | | | | | 1217 | 2956 |
| pH | pH | n/a | 6.5-8.5 | | 6.0-9.5 | 9.35 | 8.31 |
| Temperature | °C | n/a | | | | 26.8 | 5.5 |
| Calculated Parameters | | | | | | | |
| Anion Sum | me/L | N/A | | | | 9.92 | 22.9 |
| Cation Sum | me/L | N/A | | | | 11.6 | 23.7 |
| Hardness (CaCO3) | mg/L | 1.0 | | | | 210 | 460 |
| Inorganics | | | | | | | |
| Total Ammonia-N | mg/L | 0.050 | | | | 0.069 | 0.35 |
| Conductivity | umho/cm | 1.0 | | | | 1100 | 2430 |
| Total Dissolved Solids | mg/L | 10 | | | | 628 | 1460 |
| Fluoride (F-) | mg/L | 0.10 | | | | 0.67 | 0.90 |
| Total Kjeldahl Nitrogen (TKN) | mg/L | 0.10 | | | | 0.64 | 0.73 |
| Dissolved Organic Carbon | mg/L | 0.20 | | | | 5.8 | 6.4 |
| pH | pH | N/A | 6.5-8.5 | | 6.0-9.5 | 8.68 | 7.98 |
| Phenols-4AAP | mg/L | 0.0010 | | | 0.04 | <0.0010 | <0.0010 |
| Total Phosphorus | mg/L | 0.002 | | 0.02 ^{5b} | | 0.019 | 0.025 |
| Total Suspended Solids | mg/L | 10 | | | 30 | 14 | 11 |
| Dissolved Sulphate (SO4) | mg/L | 1 | | | | 200 | 390 |
| Alkalinity (Total as CaCO3) | mg/L | 1.0 | | | | 90 | 88 |
| Dissolved Chloride (Cl) | mg/L | 1 | | | | 140 | 460 |
| Nitrite (N) | mg/L | 0.010 | | | | 0.051 | 0.107 |
| Nitrate (N) | mg/L | 0.10 | | | | 1.01 | 1.71 |
| Petroleum Hydrocarbons | | | | | | | |
| Total Oil & Grease | mg/L | 0.50 | Note 3 | | | <0.50 | 0.9 |
| Metals | | | | | | | |
| Total Arsenic (As) | ug/L | 1 | 100 | 5 | | <1.0 | <1.0 |
| Total Cadmium (Cd) | ug/L | 0.1 | 0.2 | 0.1-0.5 ^{5d} | | <0.10 | <0.10 |
| Total Calcium (Ca) | ug/L | 200 | | | | 31000 | 84000 |
| Total Chromium (Cr) | ug/L | 5 | 1-89 ^{5e} | | | <5.0 | <5.0 |
| Total Copper (Cu) | ug/L | 1 | 5 | 1-5 ^{5f} | | 1.1 | <1.0 |
| Total Iron (Fe) | ug/L | 100 | 300 | | | 160 | <100 |
| Total Lead (Pb) | ug/L | 0.5 | 5-25 ^{5g} | 1-5 ^{5h} | | <0.50 | <0.50 |
| Total Magnesium (Mg) | ug/L | 50 | | | | 28000 | 57000 |
| Total Manganese (Mn) | ug/L | 2 | | | | 19 | 3.2 |
| Total Nickel (Ni) | ug/L | 1 | 25 | | | 2.3 | <1.0 |
| Total Potassium (K) | ug/L | 200 | | | | 10000 | 18000 |
| Total Sodium (Na) | ug/L | 100 | | | | 140000 | 310000 |
| Total Zinc (Zn) | ug/L | 5 | 30 | 20 | | <5.0 | <5.0 |
| <p>1. Provincial Water Quality Objectives (PWQO); shaded cells denote PWQO exceedance; some PWQOs are dependent on other water quality parameters hence the range in guideline values, refer to PWQO notes.</p> <p>2. Interim Provincial Water Quality Objectives (Interim PWQO); <i>shaded cells and italics denote Interim PWQO exceedance</i>; some PWQOs are dependent on other water quality parameters hence the range in guideline values, refer to PQWO notes.</p> <p>3. The PWQO for Oil and Grease indicates that oil or petrochemicals should not be present in concentrations that: can be detected as a visible film, sheen or discoloration on the surface, can be detected by odour, can cause tainting of edible organisms, can form detectable deposits on shorelines and bottom sediments.</p> <p>4. Results that are preceded by "<" denote concentrations that are below the laboratory Reportable Detection Limit (RDL).</p> | | | | | | <p>5b. Phosphorus (Interim):</p> <p>- Current scientific evidence is insufficient to develop a firm Objective at this time.</p> <p>- Accordingly, the following phosphorus concentrations should be considered as general guidelines which should be supplemented by site-specific studies:</p> <p>(a) To avoid nuisance concentrations of algae in lakes, average total phosphorus concentrations for the ice-free period should not exceed 20 ug/L;</p> <p>(b) A high level of protection against aesthetic deterioration will be provided by a total phosphorus concentration for the ice-free period of 10 ug/L or less. This should apply to all lakes naturally below this value;</p> <p>(c) Excessive plant growth in rivers and streams should be eliminated at a total phosphorus concentration below 30 ug/L.</p> | |
| <p>5a. Aluminum (Interim):</p> <p>- At pH 4.5 to 5.5 the Interim PWQO is 15 ug/L based on inorganic monomeric aluminum measured in clay-free samples.</p> <p>- At pH >5.5 to 6.5, no condition should be permitted which would increase the acid soluble inorganic aluminum concentration in clay-free samples to more than 10% above natural background concentrations for waters representative of that geological area of the Province that are unaffected by man-made inputs.</p> <p>- At pH >6.5 to 9.0, the Interim PWQO is 75 ug/L based on total aluminum measured in clay-free samples.</p> <p>- If natural background aluminum concentrations in water bodies unaffected by manmade inputs are greater than the numerical Interim PWQO (above), no condition is permitted that would increase the aluminum concentration in clay-free samples by more than 10% of the natural background level.</p> | | | | | | <p>5c. Beryllium: If Hardness <75 mg/L (CaCO3), use 11 ug/L If Hardness >75 mg/L (CaCO3), use 1100 ug/L</p> <p>5d. Cadmium (Interim): If Hardness 0-100 mg/L (CaCO3), then use 0.1 ug/L If Hardness >100 mg/L (CaCO3), then use 0.5 ug/L</p> <p>5e. Chromium: 1 ug/L for hexavalent chromium (Cr VI) 8.9 ug/L for trivalent chromium (Cr III)</p> <p>5f. Copper (Interim): If Hardness as CaCO3 (mg/L) is 0 - 20, then use 1 ug/L If Hardness as CaCO3 (mg/L) is >20, then use 5 ug/L</p> <p>5g. Lead: If Alkalinity as CaCO3 (mg/L) is < 20, use 5 ug/L If Alkalinity as CaCO3 (mg/L) is 20 to 40, use 10 ug/L If Alkalinity as CaCO3 (mg/L) is 40 to 80, use 20 ug/L If Alkalinity as CaCO3 (mg/L) is > 80, use 25 ug/L</p> <p>5h. Lead (Interim): If Hardness as CaCO3 (mg/L) is < 30, then use 1 ug/L If Hardness as CaCO3 (mg/L) is 30 to 80, then use 3 ug/L If Hardness as CaCO3 (mg/L) is > 80, then use 5 ug/L</p> | |

Table 4: Condition 7(3) SW1 Water Quality Results

| Sample ID | Unit | Reportable Detection Limit (RDL) | PWQO ¹ | Interim PWQO ² | PTTW Effluent Limits | McCarthy Quarry | |
|---|---------|----------------------------------|--------------------|---------------------------|----------------------|---|-----------|
| | | | | | | SW1 | SW1 |
| Date | | | | | | 30-May-16 | 25-Oct-16 |
| Field Measured Parameters | | | | | | | |
| Conductivity | mS/cm | | | | | 1187 | 2350 |
| pH | pH | n/a | 6.5-8.5 | | 6.0-9.5 | 8.47 | 8.71 |
| Temperature | °C | n/a | | | | 27.8 | 8.1 |
| Calculated Parameters | | | | | | | |
| Anion Sum | me/L | N/A | | | | 10.2 | 22.7 |
| Cation Sum | me/L | N/A | | | | 10.9 | 23.8 |
| Hardness (CaCO3) | mg/L | 1.0 | | | | 240 | 460 |
| Inorganics | | | | | | | |
| Total Ammonia-N | mg/L | 0.050 | | | | 0.093 | 0.34 |
| Conductivity | umho/cm | 1.0 | | | | 1100 | 2420 |
| Total Dissolved Solids | mg/L | 10 | | | | 604 | 1520 |
| Fluoride (F-) | mg/L | 0.10 | | | | 0.63 | 0.85 |
| Total Kjeldahl Nitrogen (TKN) | mg/L | 0.10 | | | | 0.67 | 0.60 |
| Dissolved Organic Carbon | mg/L | 0.20 | | | | 7 | 6.3 |
| pH | pH | N/A | 6.5-8.5 | | 6.0-9.5 | 8.03 | 7.86 |
| Phenols-4AAP | mg/L | 0.0010 | | | 0.04 | <0.0010 | <0.0010 |
| Total Phosphorus | mg/L | 0.002 | | 0.02 ^{5b} | | 0.043 | <0.02 |
| Total Suspended Solids | mg/L | 10 | | | 30 | 30 | 13 |
| Dissolved Sulphate (SO4) | mg/L | 1 | | | | 170 | 390 |
| Alkalinity (Total as CaCO3) | mg/L | 1.0 | | | | 130 | 87 |
| Dissolved Chloride (Cl) | mg/L | 1 | | | | 140 | 450 |
| Nitrite (N) | mg/L | 0.010 | | | | 0.038 | 0.103 |
| Nitrate (N) | mg/L | 0.10 | | | | 0.77 | 1.61 |
| Petroleum Hydrocarbons | | | | | | | |
| Total Oil & Grease | mg/L | 0.50 | Note 3 | | 30 | <0.50 | 0.7 |
| Metals | | | | | | | |
| Total Arsenic (As) | ug/L | 1 | 100 | 5 | | <1.0 | <1.0 |
| Total Cadmium (Cd) | ug/L | 0.1 | 0.2 | 0.1-0.5 ^{5d} | | <0.10 | <0.10 |
| Total Calcium (Ca) | ug/L | 200 | | | | 51000 | 85000 |
| Total Chromium (Cr) | ug/L | 5 | 1-89 ^{5e} | | | <5.0 | <5.0 |
| Total Copper (Cu) | ug/L | 1 | 5 | 1-5 ^{5f} | | 1.4 | <1.0 |
| Total Iron (Fe) | ug/L | 100 | 300 | | | 520 | <100 |
| Total Lead (Pb) | ug/L | 0.5 | 5-25 ^{5g} | 1-5 ^{5h} | | <0.50 | <0.50 |
| Total Magnesium (Mg) | ug/L | 50 | | | | 25000 | 58000 |
| Total Manganese (Mn) | ug/L | 2 | | | | 170 | 6.8 |
| Total Nickel (Ni) | ug/L | 1 | 25 | | | 1.7 | 1.0 |
| Total Potassium (K) | ug/L | 200 | | | | 8800 | 18000 |
| Total Sodium (Na) | ug/L | 100 | | | | 120000 | 310000 |
| Total Zinc (Zn) | ug/L | 5 | 30 | 20 | | <5.0 | <5.0 |
| <p>1. Provincial Water Quality Objectives (PWQO); shaded cells denote PWQO exceedance; some PWQOs are dependent on other water quality parameters hence the range in guideline values, refer to PWQO notes.</p> <p>2. Interim Provincial Water Quality Objectives (Interim PWQO); shaded cells and italics denote Interim PWQO exceedance; some PWQOs are dependent on other water quality parameters hence the range in guideline values, refer to PWQO notes.</p> <p>3. The PWQO for Oil and Grease indicates that oil or petrochemicals should not be present in concentrations that: can be detected as a visible film, sheen or discoloration on the surface, can be detected by odour, can cause tainting of edible organisms, can form detectable deposits on shorelines and bottom sediments.</p> <p>4. Results that are preceded by "<" denote concentrations that are below the laboratory Reportable Detection Limit (RDL).</p> | | | | | | <p>5b. Phosphorus (Interim):</p> <p>- Current scientific evidence is insufficient to develop a firm Objective at this time.</p> <p>- Accordingly, the following phosphorus concentrations should be considered as general guidelines which should be supplemented by site-specific studies:</p> <p>(a) To avoid nuisance concentrations of algae in lakes, average total phosphorus concentrations for the ice-free period should not exceed 20 ug/L;</p> <p>(b) A high level of protection against aesthetic deterioration will be provided by a total phosphorus concentration for the ice-free period of 10 ug/L or less. This should apply to all lakes naturally below this value;</p> <p>(c) Excessive plant growth in rivers and streams should be eliminated at a total phosphorus concentration below 30 ug/L.</p> | |
| <p>5a. Aluminum (Interim):</p> <p>- At pH 4.5 to 5.5 the Interim PWQO is 15 ug/L based on inorganic monomeric aluminum measured in clay-free samples.</p> <p>- At pH >5.5 to 6.5, no condition should be permitted which would increase the acid soluble inorganic aluminum concentration in clay-free samples to more than 10% above natural background concentrations for waters representative of that geological area of the Province that are unaffected by man-made inputs.</p> <p>- At pH >6.5 to 9.0, the Interim PWQO is 75 ug/L based on total aluminum measured in clay-free samples.</p> <p>- If natural background aluminum concentrations in water bodies unaffected by manmade inputs are greater than the numerical Interim PWQO (above), no condition is permitted that would increase the aluminum concentration in clay-free samples by more than 10% of the natural background level.</p> | | | | | | <p>5c. Beryllium: If Hardness <75 mg/L (CaCO3), use 11 ug/L If Hardness >75 mg/L (CaCO3), use 1100 ug/L</p> | |
| | | | | | | <p>5d. Cadmium (Interim): If Hardness 0-100 mg/L (CaCO3), then use 0.1 ug/L If Hardness >100 mg/L (CaCO3), then use 0.5 ug/L</p> | |
| | | | | | | <p>5e. Chromium: 1 ug/L for hexavalent chromium (Cr VI) 8.9 ug/L for trivalent chromium (Cr III)</p> | |
| | | | | | | <p>5f. Copper (Interim): If Hardness as CaCO3 (mg/L) is 0 - 20, then use 1 ug/L If Hardness as CaCO3 (mg/L) is >20, then use 5 ug/L</p> | |
| | | | | | | <p>5g. Lead: If Alkalinity as CaCO3 (mg/L) is < 20, use 5 ug/L If Alkalinity as CaCO3 (mg/L) is 20 to 40, use 10 ug/L If Alkalinity as CaCO3 (mg/L) is 40 to 80, use 20 ug/L If Alkalinity as CaCO3 (mg/L) is > 80, use 25 ug/L</p> | |
| | | | | | | <p>5h. Lead (Interim): If Hardness as CaCO3 (mg/L) is < 30, then use 1 ug/L If Hardness as CaCO3 (mg/L) is 30 to 80, then use 3 ug/L If Hardness as CaCO3 (mg/L) is > 80, then use 5 ug/L</p> | |

Table 5: Condition 7(3) SW2 Water Quality Results

| Sample ID | Unit | Reportable Detection Limit (RDL) | PWQO ¹ | Interim PWQO ² | PTTW Effluent Limits | McCarthy Quarry |
|--|---------|----------------------------------|--------------------|---------------------------|----------------------|-----------------|
| | | | | | | SW2 |
| Date | | | | | | 30-May-16 |
| Field Measured Parameters | | | | | | |
| Conductivity | mS/cm | | | | | 838 |
| pH | pH | n/a | 6.5-8.5 | | 6.0-9.5 | 7.82 |
| Temperature | °C | n/a | | | | 26.5 |
| Calculated Parameters | | | | | | |
| Anion Sum | me/L | N/A | | | | 8.47 |
| Cation Sum | me/L | N/A | | | | 9.58 |
| Hardness (CaCO3) | mg/L | 1.0 | | | | 450 |
| Inorganics | | | | | | |
| Total Ammonia-N | mg/L | 0.050 | | | | 0.056 |
| Conductivity | umho/cm | 1.0 | | | | 750 |
| Total Dissolved Solids | mg/L | 10 | | | | 444 |
| Fluoride (F-) | mg/L | 0.10 | | | | 0.11 |
| Total Kjeldahl Nitrogen (TKN) | mg/L | 0.10 | | | | 0.70 |
| Dissolved Organic Carbon | mg/L | 0.20 | | | | 13 |
| pH | pH | N/A | 6.5-8.5 | | 6.0-9.5 | 7.91 |
| Phenols-4AAP | mg/L | 0.0010 | | | 0.04 | <0.0010 |
| Total Phosphorus | mg/L | 0.002 | | 0.02 ^{5b} | | 0.120 |
| Total Suspended Solids | mg/L | 10 | | | 30 | 13 |
| Dissolved Sulphate (SO4) | mg/L | 1 | | | | 13 |
| Alkalinity (Total as CaCO3) | mg/L | 1.0 | | | | 390 |
| Dissolved Chloride (Cl) | mg/L | 1 | | | | 17 |
| Nitrite (N) | mg/L | 0.010 | | | | <0.010 |
| Nitrate (N) | mg/L | 0.10 | | | | <0.10 |
| Petroleum Hydrocarbons | | | | | | |
| Total Oil & Grease | mg/L | 0.50 | Note 3 | | 30 | <0.50 |
| Metals | | | | | | |
| Total Arsenic (As) | ug/L | 1 | 100 | 5 | | <1.0 |
| Total Cadmium (Cd) | ug/L | 0.1 | 0.2 | 0.1-0.5 ^{5d} | | <0.10 |
| Total Calcium (Ca) | ug/L | 200 | | | | 130000 |
| Total Chromium (Cr) | ug/L | 5 | 1-89 ^{5e} | | | <5.0 |
| Total Copper (Cu) | ug/L | 1 | 5 | 1-5 ^{5f} | | <1.0 |
| Total Iron (Fe) | ug/L | 100 | 300 | | | 860 |
| Total Lead (Pb) | ug/L | 0.5 | 5-25 ^{5g} | 1-5 ^{5h} | | <0.50 |
| Total Magnesium (Mg) | ug/L | 50 | | | | 18000 |
| Total Manganese (Mn) | ug/L | 2 | | | | 230 |
| Total Nickel (Ni) | ug/L | 1 | 25 | | | 1.5 |
| Total Potassium (K) | ug/L | 200 | | | | 3100 |
| Total Sodium (Na) | ug/L | 100 | | | | 12000 |
| Total Zinc (Zn) | ug/L | 5 | 30 | 20 | | <5.0 |
| <p>1. Provincial Water Quality Objectives (PWQO); shaded cells denote PWQO exceedance; some PWQOs are dependent on other water quality parameters hence the range in guideline values, refer to PWQO notes.</p> <p>2. Interim Provincial Water Quality Objectives (Interim PWQO); <i>shaded cells and italics denote Interim PWQO exceedance</i>; some PWQOs are dependent on other water quality parameters hence the range in guideline values, refer to PWQO notes.</p> <p>3. The PWQO for Oil and Grease indicates that oil or petrochemicals should not be present in concentrations that: can be detected as a visible film, sheen or discoloration on the surface, can be detected by odour, can cause tainting of edible organisms, can form detectable deposits on shorelines and bottom sediments.</p> <p>4. Results that are preceded by "<" denote concentrations that are below the laboratory Reportable Detection Limit (RDL).</p> | | | | | | |
| <p><i>5a. Aluminum (Interim):</i></p> <p>- At pH 4.5 to 5.5 the Interim PWQO is 15 ug/L based on inorganic monomeric aluminum measured in clay-free samples.</p> <p>- At pH >5.5 to 6.5, no condition should be permitted which would increase the acid soluble inorganic aluminum concentration in clay-free samples to more than 10% above natural background concentrations for waters representative of that geological area of the Province that are unaffected by man-made inputs.</p> <p>- At pH >6.5 to 9.0, the Interim PWQO is 75 ug/L based on total aluminum measured in clay-free samples.</p> <p>- If natural background aluminum concentrations in water bodies unaffected by manmade inputs are greater than the numerical Interim PWQO (above), no condition is permitted that would increase the aluminum concentration in clay-free samples by more than 10% of the natural background level.</p> | | | | | | |
| <p><i>5b. Phosphorus (Interim):</i></p> <p>- Current scientific evidence is insufficient to develop a firm Objective at this time.</p> <p>- Accordingly, the following phosphorus concentrations should be considered as general guidelines which should be supplemented by site-specific studies:</p> <p>(a) To avoid nuisance concentrations of algae in lakes, average total phosphorus concentrations for the ice-free period should not exceed 20 ug/L;</p> <p>(b) A high level of protection against aesthetic deterioration will be provided by a total phosphorus concentration for the ice-free period of 10 ug/L or less. This should apply to all lakes naturally below this value;</p> <p>(c) Excessive plant growth in rivers and streams should be eliminated at a total phosphorus concentration below 30 ug/L.</p> | | | | | | |
| <p><i>5c. Beryllium:</i> If Hardness <75 mg/L (CaCO3), use 11 ug/L If Hardness >75 mg/L (CaCO3), use 1100 ug/L</p> | | | | | | |
| <p><i>5d. Cadmium (Interim):</i> If Hardness 0-100 mg/L (CaCO3), then use 0.1 ug/L If Hardness >100 mg/L (CaCO3), then use 0.5 ug/L</p> | | | | | | |
| <p><i>5e. Chromium:</i> 1 ug/L for hexavalent chromium (Cr VI) 8.9 ug/L for trivalent chromium (Cr III)</p> | | | | | | |
| <p><i>5f. Copper (Interim):</i> If Hardness as CaCO3 (mg/L) is 0 - 20, then use 1 ug/L If Hardness as CaCO3 (mg/L) is >20, then use 5 ug/L</p> | | | | | | |
| <p><i>5g. Lead:</i> If Alkalinity as CaCO3 (mg/L) is < 20, use 5 ug/L If Alkalinity as CaCO3 (mg/L) is 20 to 40, use 10 ug/L If Alkalinity as CaCO3 (mg/L) is 40 to 80, use 20 ug/L If Alkalinity as CaCO3 (mg/L) is > 80, use 25 ug/L</p> | | | | | | |
| <p><i>5h. Lead (Interim):</i> If Hardness as CaCO3 (mg/L) is < 30, then use 1 ug/L If Hardness as CaCO3 (mg/L) is 30 to 80, then use 3 ug/L If Hardness as CaCO3 (mg/L) is > 80, then use 5 ug/L</p> | | | | | | |

Table 6: Lethality Monitoring at McCarthy Pond

| Sample ID | Unit | Mortality Limit | McCarthy Quarry | | | | | | | | | |
|---------------|-------------------|-----------------|-----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| | | | Pond | | | | | | | | | |
| Date | | | 20-Nov-15 | 21-Dec-15 | 31-Mar-16 | 29-Apr-16 | 30-May-16 | 28-Jun-16 | 27-Jul-16 | 18-Aug-16 | 28-Sep-16 | 25-Oct-16 |
| Rainbow Trout | % Mortality Rate* | <50% | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 |
| Daphnia Magna | % Mortality Rate* | <50% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Notes

* Test results represent acute lethality (100% effluent) of toxicants to Daphnia Magna and Rainbow Trout

Table 7: Measured Water Volume and Rate of Discharge from Quarry Sump

| Date | Start | Stop | Total Sec. | Total Min. | Total Litres | Rate of Taking (L/sec) | Rate of Taking (L/min) |
|---------------------------|---------|------|------------|------------|------------------|------------------------|------------------------|
| ECA Permitted Rate | | | | | 6,550,000 | 76 | 4,545 |
| 1-Nov-15 | NO PUMP | | 0 | 0 | - | - | - |
| 2-Nov-15 | 7AM | 2PM | 25200 | 420 | 882,000 | 35 | 2,100 |
| 3-Nov-15 | 7AM | 2PM | 25200 | 420 | 882,000 | 35 | 2,100 |
| 4-Nov-15 | 7AM | 2PM | 25200 | 420 | 882,000 | 35 | 2,100 |
| 5-Nov-15 | NO PUMP | | 0 | 0 | - | - | - |
| 6-Nov-15 | NO PUMP | | 0 | 0 | - | - | - |
| 7-Nov-15 | NO PUMP | | 0 | 0 | - | - | - |
| 8-Nov-15 | 7AM | 3PM | 28800 | 480 | 1,008,000 | 35 | 2,100 |
| 9-Nov-15 | 7AM | 3PM | 28800 | 480 | 1,008,000 | 35 | 2,100 |
| 10-Nov-15 | 7AM | 3PM | 28800 | 480 | 1,008,000 | 35 | 2,100 |
| 11-Nov-15 | 7AM | 2PM | 25200 | 420 | 882,000 | 35 | 2,100 |
| 12-Nov-15 | 7AM | 3PM | 28800 | 480 | 1,008,000 | 35 | 2,100 |
| 13-Nov-15 | 7AM | 3PM | 28800 | 480 | 1,008,000 | 35 | 2,100 |
| 14-Nov-15 | NO PUMP | | 0 | 0 | - | - | - |
| 15-Nov-15 | NO PUMP | | 0 | 0 | - | - | - |
| 16-Nov-15 | 7AM | 3PM | 28800 | 480 | 1,008,000 | 35 | 2,100 |
| 17-Nov-15 | 7AM | 3PM | 28800 | 480 | 1,008,000 | 35 | 2,100 |
| 18-Nov-15 | 7AM | 3PM | 28800 | 480 | 1,008,000 | 35 | 2,100 |
| 19-Nov-15 | 7AM | 3PM | 28800 | 480 | 1,008,000 | 35 | 2,100 |
| 20-Nov-15 | 7AM | 2PM | 25200 | 420 | 882,000 | 35 | 2,100 |
| 21-Nov-15 | NO PUMP | | 0 | 0 | - | - | - |
| 22-Nov-15 | NO PUMP | | 0 | 0 | - | - | - |
| 23-Nov-15 | 8AM | 4PM | 28800 | 480 | 1,008,000 | 35 | 2,100 |
| 24-Nov-15 | 8AM | 4PM | 28800 | 480 | 1,008,000 | 35 | 2,100 |
| 25-Nov-15 | 8AM | 4PM | 28800 | 480 | 1,008,000 | 35 | 2,100 |
| 26-Nov-15 | 7AM | 3PM | 28800 | 480 | 1,008,000 | 35 | 2,100 |
| 27-Nov-15 | 7AM | 2PM | 25200 | 420 | 882,000 | 35 | 2,100 |
| 28-Nov-15 | NO PUMP | | 0 | 0 | - | - | - |
| 29-Nov-15 | NO PUMP | | 0 | 0 | - | - | - |
| 30-Nov-15 | NO PUMP | | 0 | 0 | - | - | - |
| 1-Dec-15 | 7AM | 3PM | 28800 | 480 | 1,008,000 | 35 | 2,100 |
| 2-Dec-15 | 7AM | 3PM | 28800 | 480 | 1,008,000 | 35 | 2,100 |
| 3-Dec-15 | 7AM | 3PM | 28800 | 480 | 1,008,000 | 35 | 2,100 |
| 4-Dec-15 | 7AM | 3PM | 28800 | 480 | 1,008,000 | 35 | 2,100 |
| 5-Dec-15 | NO PUMP | | 0 | 0 | - | - | - |
| 6-Dec-15 | NO PUMP | | 0 | 0 | - | - | - |
| 7-Dec-15 | 7AM | 3PM | 28800 | 480 | 1,008,000 | 35 | 2,100 |
| 8-Dec-15 | 7AM | 3PM | 28800 | 480 | 1,008,000 | 35 | 2,100 |
| 9-Dec-15 | 7AM | 3PM | 28800 | 480 | 1,008,000 | 35 | 2,100 |
| 10-Dec-15 | 7AM | 3PM | 28800 | 480 | 1,008,000 | 35 | 2,100 |

Table 7: Measured Water Volume and Rate of Discharge from Quarry Sump

| Date | Start | Stop | Total Sec. | Total Min. | Total Litres | Rate of Taking (L/sec) | Rate of Taking (L/min) |
|---------------------------|---------|------|------------|------------|------------------|------------------------|------------------------|
| ECA Permitted Rate | | | | | 6,550,000 | 76 | 4,545 |
| 11-Dec-15 | 7AM | 3PM | 28800 | 480 | 1,008,000 | 35 | 2,100 |
| 12-Dec-15 | NO PUMP | | 0 | 0 | - | - | - |
| 13-Dec-15 | NO PUMP | | 0 | 0 | - | - | - |
| 14-Dec-15 | 7AM | 3PM | 28800 | 480 | 1,008,000 | 35 | 2,100 |
| 15-Dec-15 | 7AM | 3PM | 28800 | 480 | 1,008,000 | 35 | 2,100 |
| 16-Dec-15 | 7AM | 3PM | 28800 | 480 | 1,008,000 | 35 | 2,100 |
| 17-Dec-15 | 7AM | 3PM | 28800 | 480 | 1,008,000 | 35 | 2,100 |
| 18-Dec-15 | NO PUMP | | 0 | 0 | - | - | - |
| 19-Dec-15 | NO PUMP | | 0 | 0 | - | - | - |
| 20-Dec-15 | NO PUMP | | 0 | 0 | - | - | - |
| 21-Dec-15 | 7AM | 3PM | 28800 | 480 | 1,008,000 | 35 | 2,100 |
| 22-Dec-15 | 7AM | 3PM | 28800 | 480 | 1,008,000 | 35 | 2,100 |
| 23-Dec-15 | 7AM | 12PM | 18000 | 300 | 630,000 | 35 | 2,100 |
| 24-Dec-15 | NO PUMP | | 0 | 0 | - | - | - |
| 25-Dec-15 | NO PUMP | | 0 | 0 | - | - | - |
| 26-Dec-15 | NO PUMP | | 0 | 0 | - | - | - |
| 27-Dec-15 | 8AM | 12PM | 14400 | 240 | 504,000 | 35 | 2,100 |
| 28-Dec-15 | NO PUMP | | 0 | 0 | - | - | - |
| 29-Dec-15 | NO PUMP | | 0 | 0 | - | - | - |
| 30-Dec-15 | 8AM | 12PM | 14400 | 240 | 504,000 | 35 | 2,100 |
| 31-Dec-15 | NO PUMP | | 0 | 0 | - | - | - |
| 1-Jan-16 | NO PUMP | | 0 | 0 | - | - | - |
| 2-Jan-16 | NO PUMP | | 0 | 0 | - | - | - |
| 3-Jan-16 | NO PUMP | | 0 | 0 | - | - | - |
| 4-Jan-16 | 7AM | 3PM | 28800 | 480 | 1,008,000 | 35 | 2,100 |
| 5-Jan-16 | 7AM | 3PM | 28800 | 480 | 1,008,000 | 35 | 2,100 |
| 6-Jan-16 | 7AM | 3PM | 28800 | 480 | 1,008,000 | 35 | 2,100 |
| 7-Jan-16 | 7AM | 3PM | 28800 | 480 | 1,008,000 | 35 | 2,100 |
| 8-Jan-16 | 7AM | 3PM | 28800 | 480 | 1,008,000 | 35 | 2,100 |
| 9-Jan-16 | NO PUMP | | 0 | 0 | - | - | - |
| 10-Jan-16 | NO PUMP | | 0 | 0 | - | - | - |
| 11-Jan-16 | 7AM | 12PM | 18000 | 300 | 630,000 | 35 | 2,100 |
| 12-Jan-16 | 7AM | 12PM | 18000 | 300 | 630,000 | 35 | 2,100 |
| 13-Jan-16 | 7AM | 12PM | 18000 | 300 | 630,000 | 35 | 2,100 |
| 14-Jan-16 | 7AM | 12PM | 18000 | 300 | 630,000 | 35 | 2,100 |
| 15-Jan-16 | NO PUMP | | 0 | 0 | - | - | - |
| 16-Jan-16 | NO PUMP | | 0 | 0 | - | - | - |
| 17-Jan-16 | NO PUMP | | 0 | 0 | - | - | - |
| 18-Jan-16 | NO PUMP | | 0 | 0 | - | - | - |
| 19-Jan-16 | 7AM | 12PM | 18000 | 300 | 630,000 | 35 | 2,100 |

Table 7: Measured Water Volume and Rate of Discharge from Quarry Sump

| Date | Start | Stop | Total Sec. | Total Min. | Total Litres | Rate of Taking (L/sec) | Rate of Taking (L/min) |
|---------------------------|---------|------|------------|------------|------------------|------------------------|------------------------|
| ECA Permitted Rate | | | | | 6,550,000 | 76 | 4,545 |
| 20-Jan-16 | 7AM | 2PM | 25200 | 420 | 882,000 | 35 | 2,100 |
| 21-Jan-16 | 7AM | 12PM | 18000 | 300 | 630,000 | 35 | 2,100 |
| 22-Jan-16 | NO PUMP | | 0 | 0 | - | - | - |
| 23-Jan-16 | NO PUMP | | 0 | 0 | - | - | - |
| 24-Jan-16 | NO PUMP | | 0 | 0 | - | - | - |
| 25-Jan-16 | NO PUMP | | 0 | 0 | - | - | - |
| 26-Jan-16 | 7AM | 12PM | 18000 | 300 | 630,000 | 35 | 2,100 |
| 27-Jan-16 | 7AM | 12PM | 18000 | 300 | 630,000 | 35 | 2,100 |
| 28-Jan-16 | 7AM | 12PM | 18000 | 300 | 630,000 | 35 | 2,100 |
| 29-Jan-16 | 7AM | 12PM | 18000 | 300 | 630,000 | 35 | 2,100 |
| 30-Jan-16 | NO PUMP | | 0 | 0 | - | - | - |
| 31-Jan-16 | NO PUMP | | 0 | 0 | - | - | - |
| 1-Feb-16 | NO PUMP | | 0 | 0 | - | - | - |
| 2-Feb-16 | NO PUMP | | 0 | 0 | - | - | - |
| 3-Feb-16 | NO PUMP | | 0 | 0 | - | - | - |
| 4-Feb-16 | NO PUMP | | 0 | 0 | - | - | - |
| 5-Feb-16 | NO PUMP | | 0 | 0 | - | - | - |
| 6-Feb-16 | NO PUMP | | 0 | 0 | - | - | - |
| 7-Feb-16 | NO PUMP | | 0 | 0 | - | - | - |
| 8-Feb-16 | 6:30AM | 5PM | 37800 | 630 | 1,323,000 | 35 | 2,100 |
| 9-Feb-16 | NO PUMP | | 0 | 0 | - | - | - |
| 10-Feb-16 | 6:30AM | 5PM | 37800 | 630 | 1,323,000 | 35 | 2,100 |
| 11-Feb-16 | NO PUMP | | 0 | 0 | - | - | - |
| 12-Feb-16 | NO PUMP | | 0 | 0 | - | - | - |
| 13-Feb-16 | NO PUMP | | 0 | 0 | - | - | - |
| 14-Feb-16 | NO PUMP | | 0 | 0 | - | - | - |
| 15-Feb-16 | 6AM | 3PM | 32400 | 540 | 1,134,000 | 35 | 2,100 |
| 16-Feb-16 | NO PUMP | | 0 | 0 | - | - | - |
| 17-Feb-16 | 6AM | 4PM | 36000 | 600 | 1,260,000 | 35 | 2,100 |
| 18-Feb-16 | NO PUMP | | 0 | 0 | - | - | - |
| 19-Feb-16 | NO PUMP | | 0 | 0 | - | - | - |
| 20-Feb-16 | NO PUMP | | 0 | 0 | - | - | - |
| 21-Feb-16 | NO PUMP | | 0 | 0 | - | - | - |
| 22-Feb-16 | 6AM | 5PM | 39600 | 660 | 1,386,000 | 35 | 2,100 |
| 23-Feb-16 | NO PUMP | | 0 | 0 | - | - | - |
| 24-Feb-16 | 6AM | 5PM | 39600 | 660 | 1,386,000 | 35 | 2,100 |
| 25-Feb-16 | NO PUMP | | 0 | 0 | - | - | - |
| 26-Feb-16 | 6:30AM | 5PM | 37800 | 630 | 1,323,000 | 35 | 2,100 |
| 27-Feb-16 | NO PUMP | | 0 | 0 | - | - | - |
| 28-Feb-16 | NO PUMP | | 0 | 0 | - | - | - |

Table 7: Measured Water Volume and Rate of Discharge from Quarry Sump

| Date | Start | Stop | Total Sec. | Total Min. | Total Litres | Rate of Taking (L/sec) | Rate of Taking (L/min) |
|---------------------------|---------|--------|------------|------------|------------------|------------------------|------------------------|
| ECA Permitted Rate | | | | | 6,550,000 | 76 | 4,545 |
| 29-Feb-16 | 6AM | 6PM | 43200 | 720 | 1,512,000 | 35 | 2,100 |
| 1-Mar-16 | 6AM | 6:30PM | 45000 | 750 | 1,575,000 | 35 | 2,100 |
| 2-Mar-16 | NO PUMP | | 0 | 0 | - | - | - |
| 3-Mar-16 | 6:30AM | 5:30PM | 39600 | 660 | 1,386,000 | 35 | 2,100 |
| 4-Mar-16 | NO PUMP | | 0 | 0 | - | - | - |
| 5-Mar-16 | NO PUMP | | 0 | 0 | - | - | - |
| 6-Mar-16 | NO PUMP | | 0 | 0 | - | - | - |
| 7-Mar-16 | 6:30AM | 5:30PM | 39600 | 660 | 1,386,000 | 35 | 2,100 |
| 8-Mar-16 | 6:30AM | 5:30PM | 39600 | 660 | 1,386,000 | 35 | 2,100 |
| 9-Mar-16 | 6:30AM | 5:30PM | 39600 | 660 | 1,386,000 | 35 | 2,100 |
| 10-Mar-16 | 6:30AM | 5:30PM | 39600 | 660 | 1,386,000 | 35 | 2,100 |
| 11-Mar-16 | 6:30AM | 5:30PM | 39600 | 660 | 1,386,000 | 35 | 2,100 |
| 12-Mar-16 | NO PUMP | | 0 | 0 | - | - | - |
| 13-Mar-16 | NO PUMP | | 0 | 0 | - | - | - |
| 14-Mar-16 | 6:30AM | 5:30PM | 39600 | 660 | 1,386,000 | 35 | 2,100 |
| 15-Mar-16 | NO PUMP | | 0 | 0 | - | - | - |
| 16-Mar-16 | 6:30AM | 5PM | 37800 | 630 | 1,323,000 | 35 | 2,100 |
| 17-Mar-16 | NO PUMP | | 0 | 0 | - | - | - |
| 18-Mar-16 | NO PUMP | | 0 | 0 | - | - | - |
| 19-Mar-16 | NO PUMP | | 0 | 0 | - | - | - |
| 20-Mar-16 | NO PUMP | | 0 | 0 | - | - | - |
| 21-Mar-16 | 8AM | 5PM | 32400 | 540 | 1,134,000 | 35 | 2,100 |
| 22-Mar-16 | 8AM | 4PM | 28800 | 480 | 1,008,000 | 35 | 2,100 |
| 23-Mar-16 | 8AM | 4:30PM | 30600 | 510 | 1,071,000 | 35 | 2,100 |
| 24-Mar-16 | 8AM | 4PM | 28800 | 480 | 1,008,000 | 35 | 2,100 |
| 25-Mar-16 | NO PUMP | | 0 | 0 | - | - | - |
| 26-Mar-16 | NO PUMP | | 0 | 0 | - | - | - |
| 27-Mar-16 | NO PUMP | | 0 | 0 | - | - | - |
| 28-Mar-16 | 8AM | 6AM | 79200 | 1320 | 2,772,000 | 35 | 2,100 |
| 29-Mar-16 | 7AM | 7AM | 86400 | 1440 | 3,024,000 | 35 | 2,100 |
| 30-Mar-16 | 7AM | 7AM | 86400 | 1440 | 3,024,000 | 35 | 2,100 |
| 31-Mar-16 | 7AM | 7AM | 86400 | 1440 | 3,024,000 | 35 | 2,100 |
| 1-Apr-16 | 7AM | 7AM | 86400 | 1440 | 3,024,000 | 35 | 2,100 |
| 2-Apr-16 | 7AM | 7AM | 86400 | 1440 | 3,024,000 | 35 | 2,100 |
| 3-Apr-16 | 7AM | 7AM | 86400 | 1440 | 3,024,000 | 35 | 2,100 |
| 4-Apr-16 | 7AM | 7AM | 86400 | 1440 | 3,024,000 | 35 | 2,100 |
| 5-Apr-16 | 7AM | 7AM | 86400 | 1440 | 3,024,000 | 35 | 2,100 |
| 6-Apr-16 | 7AM | 5PM | 36000 | 600 | 1,260,000 | 35 | 2,100 |
| 7-Apr-16 | NO PUMP | | 0 | 0 | - | - | - |
| 8-Apr-16 | NO PUMP | | 0 | 0 | - | - | - |

Table 7: Measured Water Volume and Rate of Discharge from Quarry Sump

| Date | Start | Stop | Total Sec. | Total Min. | Total Litres | Rate of Taking (L/sec) | Rate of Taking (L/min) |
|---------------------------|---------|------|------------|------------|------------------|------------------------|------------------------|
| ECA Permitted Rate | | | | | 6,550,000 | 76 | 4,545 |
| 9-Apr-16 | NO PUMP | | 0 | 0 | - | - | - |
| 10-Apr-16 | NO PUMP | | 0 | 0 | - | - | - |
| 11-Apr-16 | 7AM | 7AM | 86400 | 1440 | 3,024,000 | 35 | 2,100 |
| 12-Apr-16 | NO PUMP | | 0 | 0 | - | - | - |
| 13-Apr-16 | 7AM | 7AM | 86400 | 1440 | 3,024,000 | 35 | 2,100 |
| 14-Apr-16 | NO PUMP | | 0 | 0 | - | - | - |
| 15-Apr-16 | NO PUMP | | 0 | 0 | - | - | - |
| 16-Apr-16 | NO PUMP | | 0 | 0 | - | - | - |
| 17-Apr-16 | NO PUMP | | 0 | 0 | - | - | - |
| 18-Apr-16 | 7AM | 7AM | 86400 | 1440 | 3,024,000 | 35 | 2,100 |
| 19-Apr-16 | NO PUMP | | 0 | 0 | - | - | - |
| 20-Apr-16 | 7AM | 3PM | 28800 | 480 | 1,008,000 | 35 | 2,100 |
| 21-Apr-16 | 7AM | 1PM | 21600 | 360 | 756,000 | 35 | 2,100 |
| 22-Apr-16 | NO PUMP | | 0 | 0 | - | - | - |
| 23-Apr-16 | NO PUMP | | 0 | 0 | - | - | - |
| 24-Apr-16 | NO PUMP | | 0 | 0 | - | - | - |
| 25-Apr-16 | 7AM | 7AM | 86400 | 1440 | 3,024,000 | 35 | 2,100 |
| 26-Apr-16 | NO PUMP | | 0 | 0 | - | - | - |
| 27-Apr-16 | NO PUMP | | 0 | 0 | - | - | - |
| 28-Apr-16 | 7AM | 5PM | 36000 | 600 | 1,260,000 | 35 | 2,100 |
| 29-Apr-16 | 7AM | 2PM | 25200 | 420 | 882,000 | 35 | 2,100 |
| 30-Apr-16 | NO PUMP | | 0 | 0 | - | - | - |
| 1-May-16 | NO PUMP | | 0 | 0 | - | - | - |
| 2-May-16 | 7AM | 3PM | 28800 | 480 | 1,008,000 | 35 | 2,100 |
| 3-May-16 | 7AM | 3PM | 28800 | 480 | 1,008,000 | 35 | 2,100 |
| 4-May-16 | 7AM | 3PM | 28800 | 480 | 1,008,000 | 35 | 2,100 |
| 5-May-16 | NO PUMP | | 0 | 0 | - | - | - |
| 6-May-16 | NO PUMP | | 0 | 0 | - | - | - |
| 7-May-16 | NO PUMP | | 0 | 0 | - | - | - |
| 8-May-16 | NO PUMP | | 0 | 0 | - | - | - |
| 9-May-16 | NO PUMP | | 0 | 0 | - | - | - |
| 10-May-16 | NO PUMP | | 0 | 0 | - | - | - |
| 11-May-16 | NO PUMP | | 0 | 0 | - | - | - |
| 12-May-16 | NO PUMP | | 0 | 0 | - | - | - |
| 13-May-16 | NO PUMP | | 0 | 0 | - | - | - |
| 14-May-16 | NO PUMP | | 0 | 0 | - | - | - |
| 15-May-16 | NO PUMP | | 0 | 0 | - | - | - |
| 16-May-16 | 7AM | 5PM | 36000 | 600 | 1,260,000 | 35 | 2,100 |
| 17-May-16 | 7AM | 2PM | 25200 | 420 | 882,000 | 35 | 2,100 |
| 18-May-16 | 7AM | 3PM | 28800 | 480 | 1,008,000 | 35 | 2,100 |

Table 7: Measured Water Volume and Rate of Discharge from Quarry Sump

| Date | Start | Stop | Total Sec. | Total Min. | Total Litres | Rate of Taking (L/sec) | Rate of Taking (L/min) |
|---------------------------|---------|------|------------|------------|------------------|------------------------|------------------------|
| ECA Permitted Rate | | | | | 6,550,000 | 76 | 4,545 |
| 19-May-16 | 7AM | 1PM | 21600 | 360 | 756,000 | 35 | 2,100 |
| 20-May-16 | 7AM | 1PM | 21600 | 360 | 756,000 | 35 | 2,100 |
| 21-May-16 | NO PUMP | | 0 | 0 | - | - | - |
| 22-May-16 | NO PUMP | | 0 | 0 | - | - | - |
| 23-May-16 | NO PUMP | | 0 | 0 | - | - | - |
| 24-May-16 | 7AM | 3PM | 28800 | 480 | 1,008,000 | 35 | 2,100 |
| 25-May-16 | 7AM | 1PM | 21600 | 360 | 756,000 | 35 | 2,100 |
| 26-May-16 | 7AM | 12PM | 18000 | 300 | 630,000 | 35 | 2,100 |
| 27-May-16 | 7AM | 2PM | 25200 | 420 | 882,000 | 35 | 2,100 |
| 28-May-16 | NO PUMP | | 0 | 0 | - | - | - |
| 29-May-16 | NO PUMP | | 0 | 0 | - | - | - |
| 30-May-16 | NO PUMP | | 0 | 0 | - | - | - |
| 31-May-16 | NO PUMP | | 0 | 0 | - | - | - |
| 1-Jun-16 | NO PUMP | | 0 | 0 | - | - | - |
| 2-Jun-16 | NO PUMP | | 0 | 0 | - | - | - |
| 3-Jun-16 | NO PUMP | | 0 | 0 | - | - | - |
| 4-Jun-16 | NO PUMP | | 0 | 0 | - | - | - |
| 5-Jun-16 | NO PUMP | | 0 | 0 | - | - | - |
| 6-Jun-16 | 7AM | 1PM | 21600 | 360 | 756,000 | 35 | 2,100 |
| 7-Jun-16 | NO PUMP | | 0 | 0 | - | - | - |
| 8-Jun-16 | NO PUMP | | 0 | 0 | - | - | - |
| 9-Jun-16 | NO PUMP | | 0 | 0 | - | - | - |
| 10-Jun-16 | NO PUMP | | 0 | 0 | - | - | - |
| 11-Jun-16 | NO PUMP | | 0 | 0 | - | - | - |
| 12-Jun-16 | NO PUMP | | 0 | 0 | - | - | - |
| 13-Jun-16 | NO PUMP | | 0 | 0 | - | - | - |
| 14-Jun-16 | NO PUMP | | 0 | 0 | - | - | - |
| 15-Jun-16 | NO PUMP | | 0 | 0 | - | - | - |
| 16-Jun-16 | NO PUMP | | 0 | 0 | - | - | - |

Table 7: Measured Water Volume and Rate of Discharge from Quarry Sump

| Date | Start | Stop | Total Sec. | Total Min. | Total Litres | Rate of Taking (L/sec) | Rate of Taking (L/min) |
|---------------------------|---------|------|------------|------------|------------------|------------------------|------------------------|
| ECA Permitted Rate | | | | | 6,550,000 | 76 | 4,545 |
| 17-Jun-16 | NO PUMP | | 0 | 0 | - | - | - |
| 18-Jun-16 | NO PUMP | | 0 | 0 | - | - | - |
| 19-Jun-16 | NO PUMP | | 0 | 0 | - | - | - |
| 20-Jun-16 | NO PUMP | | 0 | 0 | - | - | - |
| 21-Jun-16 | NO PUMP | | 0 | 0 | - | - | - |
| 22-Jun-16 | NO PUMP | | 0 | 0 | - | - | - |
| 23-Jun-16 | NO PUMP | | 0 | 0 | - | - | - |
| 24-Jun-16 | NO PUMP | | 0 | 0 | - | - | - |
| 25-Jun-16 | NO PUMP | | 0 | 0 | - | - | - |
| 26-Jun-16 | NO PUMP | | 0 | 0 | - | - | - |
| 27-Jun-16 | 7AM | 12PM | 18000 | 300 | 630,000 | 35 | 2,100 |
| 28-Jun-16 | 7AM | 12PM | 18000 | 300 | 630,000 | 35 | 2,100 |
| 29-Jun-16 | NO PUMP | | 0 | 0 | - | - | - |
| 30-Jun-16 | NO PUMP | | 0 | 0 | - | - | - |
| 1-Jul-16 | NO PUMP | | 0 | 0 | - | - | - |
| 2-Jul-16 | NO PUMP | | 0 | 0 | - | - | - |
| 3-Jul-16 | NO PUMP | | 0 | 0 | - | - | - |
| 4-Jul-16 | 7AM | 12PM | 18000 | 300 | 630,000 | 35 | 2,100 |
| 5-Jul-16 | NO PUMP | | 0 | 0 | - | - | - |
| 6-Jul-16 | NO PUMP | | 0 | 0 | - | - | - |
| 7-Jul-16 | NO PUMP | | 0 | 0 | - | - | - |
| 8-Jul-16 | NO PUMP | | 0 | 0 | - | - | - |
| 9-Jul-16 | 7AM | 1PM | 21600 | 360 | 756,000 | 35 | 2,100 |
| 10-Jul-16 | NO PUMP | | 0 | 0 | - | - | - |
| 11-Jul-16 | NO PUMP | | 0 | 0 | - | - | - |
| 12-Jul-16 | NO PUMP | | 0 | 0 | - | - | - |
| 13-Jul-16 | NO PUMP | | 0 | 0 | - | - | - |
| 14-Jul-16 | NO PUMP | | 0 | 0 | - | - | - |
| 15-Jul-16 | NO PUMP | | 0 | 0 | - | - | - |
| 16-Jul-16 | NO PUMP | | 0 | 0 | - | - | - |
| 17-Jul-16 | NO PUMP | | 0 | 0 | - | - | - |
| 18-Jul-16 | 7AM | 12PM | 18000 | 300 | 630,000 | 35 | 2,100 |
| 19-Jul-16 | NO PUMP | | 0 | 0 | - | - | - |
| 20-Jul-16 | NO PUMP | | 0 | 0 | - | - | - |
| 21-Jul-16 | NO PUMP | | 0 | 0 | - | - | - |
| 22-Jul-16 | NO PUMP | | 0 | 0 | - | - | - |
| 23-Jul-16 | NO PUMP | | 0 | 0 | - | - | - |
| 24-Jul-16 | NO PUMP | | 0 | 0 | - | - | - |

Table 7: Measured Water Volume and Rate of Discharge from Quarry Sump

| Date | Start | Stop | Total Sec. | Total Min. | Total Litres | Rate of Taking (L/sec) | Rate of Taking (L/min) |
|---------------------------|---------|------|------------|------------|------------------|------------------------|------------------------|
| ECA Permitted Rate | | | | | 6,550,000 | 76 | 4,545 |
| 25-Jul-16 | NO PUMP | | 0 | 0 | - | - | - |
| 26-Jul-16 | NO PUMP | | 0 | 0 | - | - | - |
| 27-Jul-16 | NO PUMP | | 0 | 0 | - | - | - |
| 28-Jul-16 | NO PUMP | | 0 | 0 | - | - | - |
| 29-Jul-16 | NO PUMP | | 0 | 0 | - | - | - |
| 30-Jul-16 | NO PUMP | | 0 | 0 | - | - | - |
| 31-Jul-16 | NO PUMP | | 0 | 0 | - | - | - |
| 1-Aug-16 | NO PUMP | | 0 | 0 | - | - | - |
| 2-Aug-16 | NO PUMP | | 0 | 0 | - | - | - |
| 3-Aug-16 | NO PUMP | | 0 | 0 | - | - | - |
| 4-Aug-16 | NO PUMP | | 0 | 0 | - | - | - |
| 5-Aug-16 | NO PUMP | | 0 | 0 | - | - | - |
| 6-Aug-16 | 7AM | 1PM | 21,600 | 360 | 756,000 | 35 | 2,100 |
| 7-Aug-16 | NO PUMP | | 0 | 0 | - | - | - |
| 8-Aug-16 | 7AM | 1PM | 21,600 | 360 | 756,000 | 35 | 2,100 |
| 9-Aug-16 | NO PUMP | | 0 | 0 | - | - | - |
| 10-Aug-16 | NO PUMP | | 0 | 0 | - | - | - |
| 11-Aug-16 | NO PUMP | | 0 | 0 | - | - | - |
| 12-Aug-16 | 7AM | 12PM | 18,000 | 300 | 630,000 | 35 | 2,100 |
| 13-Aug-16 | NO PUMP | | 0 | 0 | - | - | - |
| 14-Aug-16 | NO PUMP | | 0 | 0 | - | - | - |
| 15-Aug-16 | NO PUMP | | 0 | 0 | - | - | - |
| 16-Aug-16 | NO PUMP | | 0 | 0 | - | - | - |
| 17-Aug-16 | NO PUMP | | 0 | 0 | - | - | - |
| 18-Aug-16 | NO PUMP | | 0 | 0 | - | - | - |
| 19-Aug-16 | NO PUMP | | 0 | 0 | - | - | - |
| 20-Aug-16 | NO PUMP | | 0 | 0 | - | - | - |
| 21-Aug-16 | NO PUMP | | 0 | 0 | - | - | - |
| 22-Aug-16 | NO PUMP | | 0 | 0 | - | - | - |
| 23-Aug-16 | NO PUMP | | 0 | 0 | - | - | - |
| 24-Aug-16 | NO PUMP | | 0 | 0 | - | - | - |
| 25-Aug-16 | NO PUMP | | 0 | 0 | - | - | - |
| 26-Aug-16 | NO PUMP | | 0 | 0 | - | - | - |
| 27-Aug-16 | NO PUMP | | 0 | 0 | - | - | - |
| 28-Aug-16 | NO PUMP | | 0 | 0 | - | - | - |
| 29-Aug-16 | NO PUMP | | 0 | 0 | - | - | - |
| 30-Aug-16 | NO PUMP | | 0 | 0 | - | - | - |
| 31-Aug-16 | NO PUMP | | 0 | 0 | - | - | - |
| 1-Sep-16 | NO PUMP | | 0 | 0 | - | - | - |
| 2-Sep-16 | NO PUMP | | 0 | 0 | - | - | - |

Table 7: Measured Water Volume and Rate of Discharge from Quarry Sump

| Date | Start | Stop | Total Sec. | Total Min. | Total Litres | Rate of Taking (L/sec) | Rate of Taking (L/min) |
|---------------------------|---------|--------|------------|------------|------------------|------------------------|------------------------|
| ECA Permitted Rate | | | | | 6,550,000 | 76 | 4,545 |
| 3-Sep-16 | NO PUMP | | 0 | 0 | - | - | - |
| 4-Sep-16 | NO PUMP | | 0 | 0 | - | - | - |
| 5-Sep-16 | NO PUMP | | 0 | 0 | - | - | - |
| 6-Sep-16 | NO PUMP | | 0 | 0 | - | - | - |
| 7-Sep-16 | NO PUMP | | 0 | 0 | - | - | - |
| 8-Sep-16 | NO PUMP | | 0 | 0 | - | - | - |
| 9-Sep-16 | NO PUMP | | 0 | 0 | - | - | - |
| 10-Sep-16 | NO PUMP | | 0 | 0 | - | - | - |
| 11-Sep-16 | NO PUMP | | 0 | 0 | - | - | - |
| 12-Sep-16 | NO PUMP | | 0 | 0 | - | - | - |
| 13-Sep-16 | NO PUMP | | 0 | 0 | - | - | - |
| 14-Sep-16 | NO PUMP | | 0 | 0 | - | - | - |
| 15-Sep-16 | NO PUMP | | 0 | 0 | - | - | - |
| 16-Sep-16 | NO PUMP | | 0 | 0 | - | - | - |
| 17-Sep-16 | NO PUMP | | 0 | 0 | - | - | - |
| 18-Sep-16 | NO PUMP | | 0 | 0 | - | - | - |
| 19-Sep-16 | NO PUMP | | 0 | 0 | - | - | - |
| 20-Sep-16 | NO PUMP | | 0 | 0 | - | - | - |
| 21-Sep-16 | NO PUMP | | 0 | 0 | - | - | - |
| 22-Sep-16 | NO PUMP | | 0 | 0 | - | - | - |
| 23-Sep-16 | NO PUMP | | 0 | 0 | - | - | - |
| 24-Sep-16 | NO PUMP | | 0 | 0 | - | - | - |
| 25-Sep-16 | NO PUMP | | 0 | 0 | - | - | - |
| 26-Sep-16 | NO PUMP | | 0 | 0 | - | - | - |
| 27-Sep-16 | NO PUMP | | 0 | 0 | - | - | - |
| 28-Sep-16 | NO PUMP | | 0 | 0 | - | - | - |
| 29-Sep-16 | NO PUMP | | 0 | 0 | - | - | - |
| 30-Sep-16 | NO PUMP | | 0 | 0 | - | - | - |
| 1-Oct-16 | NO PUMP | | 0 | 0 | - | - | - |
| 2-Oct-16 | NO PUMP | | 0 | 0 | - | - | - |
| 3-Oct-16 | NO PUMP | | 0 | 0 | - | - | - |
| 4-Oct-16 | NO PUMP | | 0 | 0 | - | - | - |
| 5-Oct-16 | 12PM | 3PM | 10,800 | 180 | 378,000 | 35 | 2,100 |
| 6-Oct-16 | 6AM | 9:30AM | 12,600 | 210 | 441,000 | 35 | 2,100 |
| 7-Oct-16 | NO PUMP | | 0 | 0 | - | - | - |
| 8-Oct-16 | NO PUMP | | 0 | 0 | - | - | - |
| 9-Oct-16 | NO PUMP | | 0 | 0 | - | - | - |
| 10-Oct-16 | NO PUMP | | 0 | 0 | - | - | - |
| 11-Oct-16 | NO PUMP | | 0 | 0 | - | - | - |
| 12-Oct-16 | 11:15AM | 3:15PM | 14,400 | 240 | 504,000 | 35 | 2,100 |

Table 7: Measured Water Volume and Rate of Discharge from Quarry Sump

| Date | Start | Stop | Total Sec. | Total Min. | Total Litres | Rate of Taking (L/sec) | Rate of Taking (L/min) |
|---------------------------|---------|---------|------------|------------|------------------|------------------------|------------------------|
| ECA Permitted Rate | | | | | 6,550,000 | 76 | 4,545 |
| 13-Oct-16 | 11:30AM | 4PM | 16,200 | 270 | 567,000 | 35 | 2,100 |
| 14-Oct-16 | 7AM | 11AM | 14,400 | 240 | 504,000 | 35 | 2,100 |
| 15-Oct-16 | NO PUMP | | 0 | 0 | - | - | - |
| 16-Oct-16 | NO PUMP | | 0 | 0 | - | - | - |
| 17-Oct-16 | 8AM | 3PM | 25,200 | 420 | 882,000 | 35 | 2,100 |
| 18-Oct-16 | 6AM | 1PM | 25,200 | 420 | 882,000 | 35 | 2,100 |
| 19-Oct-16 | NO PUMP | | 0 | 0 | - | - | - |
| 20-Oct-16 | 6AM | 1PM | 25,200 | 420 | 882,000 | 35 | 2,100 |
| 21-Oct-16 | NO PUMP | | 0 | 0 | - | - | - |
| 22-Oct-16 | 7AM | 1PM | 21,600 | 360 | 756,000 | 35 | 2,100 |
| 23-Oct-16 | NO PUMP | | 0 | 0 | - | - | - |
| 24-Oct-16 | NO PUMP | | 0 | 0 | - | - | - |
| 25-Oct-16 | 6AM | 3PM | 32,400 | 540 | 1,134,000 | 35 | 2,100 |
| 26-Oct-16 | NO PUMP | | 0 | 0 | - | - | - |
| 27-Oct-16 | 6AM | 12PM | 21,600 | 360 | 756,000 | 35 | 2,100 |
| 28-Oct-16 | NO PUMP | | 0 | 0 | - | - | - |
| 29-Oct-16 | NO PUMP | | 0 | 0 | - | - | - |
| 30-Oct-16 | NO PUMP | | 0 | 0 | - | - | - |
| 31-Oct-16 | 6AM | 10:30AM | 16,200 | 270 | 567,000 | 35 | 2,100 |



APPENDIX A

Environmental Compliance Approval No. 4731-987KM8



- AKossi
- GA

Ministry of the Environment
Ministère de l'Environnement

AMENDED ENVIRONMENTAL COMPLIANCE APPROVAL

NUMBER 4731-987KM8

Issue Date: October 15, 2013

QBJR Aggregates Inc.
949 Wilson Ave
Toronto, Ontario, M3K 1G2

Site Location: McCarthy Quarry
Lot 1, Concession 1, Original Township of Mara
Lot 1, Concession 1
Ramara Township, County of Simcoe, L0K 1B0

You have applied under section 20.2 of Part II.1 of the Environmental Protection Act, R.S.O. 1990, c. E. 19 (Environmental Protection Act) for approval of:

a sewage works for the collection, transmission, treatment and disposal of quarry water effluent from an aggregate quarry consisting of the following:

- one (1) sump, measuring 20 metres long, 10 metres wide and 3 metres deep, located at the base of the quarry floor, equipped with two (2) submersible pumps each rated at 38 litres per second with a suction intake approximately one (1) metre above the bottom of the sump, discharging to a settling pond via a 203 millimetre diameter pipeline;
- one (1) horse-shoe shaped settling pond with an approximate volume of 14,000 cubic metres (at elevation 248.2 metres), with a Hickenbottom control structure equipped with a 150 millimetre diameter orifice plate, discharging to the roadside ditch along Concession Road 1 with ultimate discharge to the Talbot River via a private ditch;
- all other controls, electrical equipment, instrumentation, piping, pumps, valves and appurtenances essential for the proper operation of the aforementioned sewage works;

all in accordance with supporting documents listed in **Schedule A**.

For the purpose of this environmental compliance approval, the following definitions apply:

"Approval" means this entire document and any schedules attached to it, and the application;

"Director" means a person appointed by the Minister pursuant to section 5 of the *EPA* for the purposes of Part II.1 of the *EPA*;

"District Manager" means the District Manager of the Barrie District Office of the Ministry;

"EPA" means the Environmental Protection Act, R.S.O. 1990, c.E.19, as amended;

"Ministry" means the ministry of the government of Ontario responsible for the *EPA* and *OWRA* and includes all officials, employees or other persons acting on its behalf;

"Owner" means QBJR Aggregates Inc. and its successors and assignees;

"OWRA" means the Ontario Water Resources Act, R.S.O. 1990, c. O.40, as amended;

"Quarterly" means all or part of a period of three consecutive months beginning on the first day of January, April, July or October;

"Semi-annually" means all or part of a period of six months beginning on the first day of January or July;

"Weekly" means a period of seven days, starting on Sunday and ending on Saturday; and

"Works" means the sewage works described in the Owner's application, this *Approval* and in the supporting documentation referred to herein, to the extent approved by this *Approval*.

You are hereby notified that this environmental compliance approval is issued to you subject to the terms and conditions outlined below:

TERMS AND CONDITIONS

1. GENERAL CONDITION

(1) Except as otherwise provided by these Conditions, the *Owner* shall design, build, install, operate and maintain the *Works* in accordance with the description given in this *Approval*, the application for approval of the *Works* and the submitted supporting documents and plans and specifications as listed in this *Approval*.

(2) Where there is a conflict between a provision of any submitted document referred to in this *Approval* and the Conditions of this *Approval*, the Conditions in this *Approval* shall take precedence, and where there is a conflict between the listed submitted documents, the document bearing the most recent date shall prevail.

2. CHANGE OF OWNER

(1) The *Owner* shall notify the *District Manager* and the *Director* , in writing, of any of the following changes within seven (7) days of the change occurring:

(a) change of *Owner* or operating authority, or both;

(b) change of address of *Owner* or operating authority or address of new owner or operating authority;

(c) change of partners where the *Owner* or operating authority is or at any time becomes a partnership, and a copy of the most recent declaration filed under the *Partnerships Registration Act* ;

(d) change of name of the corporation where the *Owner* or operator is or at any time becomes a corporation, and a copy of the most current "Initial Notice or Notice of Change" (Form 1, 2 or 3 of O. Reg. 189, R.R.O. 1980, as amended from time to time), filed under the *Corporations Informations Act* shall be included in the notification to the *District Manager* ;

(2) In the event of any change in ownership of the *Works* , the *Owner* shall notify in writing the succeeding owner of the existence of this certificate, and a copy of such notice shall be forwarded to the *District Manager* .

(3) The *Owner* shall ensure that all communications made pursuant to this condition will refer to this Approval's number.

3. CHANGES IN PROCESSES OR PROCESS MATERIALS

The *Owner* shall give written notice to the *District Manager* of any plans to change the processes or process materials in the *Owner's* enterprise serviced by the *Works* where the change may significantly alter the quantity or quality of the influent to or effluent from the *Works* , and no such changes shall be made unless with the written concurrence or approval of the *District Manager* .

4. OPERATIONS MANUAL

(1) The *Owner* shall prepare an operations manual prior to the commencement of operation of the sewage *Works* , that includes, but not necessarily limited to, the following information:

(a) operating procedures for routine operation of the *Works* ;

(b) inspection programs, including frequency of inspection, for the *Works* and the methods or tests employed to detect when maintenance is necessary;

(c) repair and maintenance programs, including the frequency of repair and maintenance for the *Works* ;

(d) contingency plans and procedures for dealing with potential spill, bypasses and any other abnormal situations and for notifying the *District Manager* ; and

(e) complaint procedures for receiving and responding to public complaints.

(2) The *Owner* shall maintain the operations manual up to date through revisions undertaken from time to time and retain a copy at the location of the sewage works. Upon request, the *Owner* shall make the manual available for inspection and copying by Ministry personnel.

(3) A copy of the operations manual required by subsection (1) shall be provided to the *Director* no later than **three (3) months** prior to the commencement of operation of the sewage works.

5. EFFLUENT LIMITS

(1) The *Owner* shall design, construct and operate the *Works* such that the concentrations of the materials named below as effluent parameters are not exceeded in the effluent from the *Works* .

| Effluent Parameter | Daily Concentration Limit (mg/L) | Monthly Average Concentration Limit (mg/L) |
|---------------------------|---|---|
| Column 1 | Column 2 | Column 3 |
| Total Suspended Solids | 30 | 15 |
| Oil and Grease | 30 | 15 |
| Phenolics (4AAP) | 0.04 | 0.02 |

(2) pH of the effluent maintained between 6.0 to 9.5, inclusive, at all times.

(3) The *Owner* shall ensure that the quarry water effluent shall be non-lethal to rainbow trout and *Daphnia magna* at all times.

(4) For the purposes of determining compliance with and enforcing subsection (1), exceedance of a daily concentration is deemed to have occurred when any daily single grab sample, analyzed for a parameter named in Column 1 of Table 1, is greater than the corresponding daily concentration set in Column 2 of Table 1.

(5) For the purposes of determining compliance with and enforcing subsection (1), exceedance of a monthly average concentration is deemed to have occurred when the arithmetic mean concentration of all samples taken in a calendar month, analyzed for a parameter named in Column 1 of Table 1, is greater than the corresponding monthly average concentration set in Column 3 of Table 1.

(6) Non-compliance with respect to pH is deemed to have occurred when any single measurement is outside of the indicated range.

(7) For the purposes of determining compliance with and enforcing subsection (3), the effluent is deemed to be non-lethal if the test results, required pursuant to Condition 8, show mortality for no more than 50 percent of either test organism in each sample of undiluted effluent.

6. EFFLUENT - VISUAL OBSERVATIONS

Notwithstanding any other condition in this *Approval* the *Owner* shall ensure that the effluent from the *Works* is essentially free of floating and settleable solids and does not contain oil or any other substance in amounts sufficient to create a visible film, sheen or foam on the receiving waters.

7. EFFLUENT MONITORING AND RECORDING

The *Owner* shall, upon commencement of operation of the sewage works, carry out the following sampling from the final effluent control point (i.e. the outfall of the settling pond which is approximately 150 metres north of Concession 1) at the commencement of effluent discharge and for the duration of the discharge period, as follows:

(1) All samples and measurements taken for the purposes of this *Approval* are to be taken at a time and in a location characteristic of the quality and quantity of the effluent stream over the time period being monitored.

(2) Samples shall be collected and analyzed at the following sampling point, at the sampling frequencies and using the sample type specified for each parameter listed:

| Effluent Parameter | Frequency | Sample Type |
|---------------------------|------------------|--------------------|
| Total Suspended Solids | Weekly | Grab |
| Oil and Grease | Weekly | Grab |
| Phenolics (4AAP) | Weekly | Grab |

(3) The *Owner* shall collect effluent samples at the following locations and analyze for the parameters listed in Table 3 at a frequency of once per week:

- (a) Outfall of settling pond approximately 150 metres north of Concession 1 (i.e. end of pipe discharge);
- (b) Box culvert on Eldon-Ramara Townline approximately 260 metres north of intersection of Ramara Concession 1 and Eldon-Ramara Townline (i.e. upgradient of end of pipe discharge);

- (c) 80 centimetre CSP located at Concession 1 Road on McCarthy property (i.e. downgradient of end of pipe discharge).

| Table 3 - Effluent and Surface Water Monitoring | |
|---|---|
| Frequency | Weekly |
| Sample Type | Grab |
| Parameters | Total Suspended Solids, Copper, Lead, Nickel, Zinc, Arsenic, Oil and Grease, Phenolics (4AAP), Hardness (as CaCO ₃), Alkalinity(as CaCO ₃), Conductivity, pH, Fluoride, Chloride, Nitrate (N), Nitrite (N), Sulphate, Calcium, Magnesium, Sodium, Potassium, Ammonia (N), Dissolved Organic Carbon, Iron, Total Kjeldahl Nitrogen, Phosphorus (Total), Cadmium, Chromium, Manganese, Anion (Sum), Cation (Sum) and Total Dissolved Solids |

- (4) There shall be at least **four days** between successive sampling.
- (5) The methods and protocols for sampling, analysis, and recording shall conform, in order of precedence, to the methods and protocols specified in the following:
- (a) the Ministry's publication "Protocol for the Sampling and Analysis of Industrial/Municipal Wastewater" (August 1994), ISBN 0-7778-1880-9, as amended from time to time by more recently published editions;
 - (b) the publication "Standard Methods for the Examination of Water and Wastewater" (17th edition) as amended from time to time by more recently published editions; and,
 - (c) in respect of any parameters not mentioned in (a) and (b), the written approval of the *District Manager*, shall be obtained prior to sampling.
- (6) The measurement frequencies specified in subsection (2) in respect of any parameter are minimum requirements which may, **after 48 months** of monitoring in accordance with this Condition, be modified by the *District Manager* in writing from time to time.
- (7) The measurement frequencies specified in subsection (3) in respect of any parameter shall be changed to semi-annually after one year of quarry operation.
- (8) A continuous flow measuring device shall be installed and maintained to measure the flowrate of the effluent from the sewage works, with an accuracy to within plus or minus 15 per cent of the actual flowrate for the entire design range of the flow measuring device and the *Owner* shall measure, record and calculate the flowrate for each effluent stream on each day of sampling.
- (9) The *Owner* shall retain for a minimum of **three (3) years** from the date of their creation, all records

and information related to or resulting from the monitoring activities required by this *Approval* .

8. LETHALITY MONITORING

(1) The *Owner* shall perform rainbow trout acute lethality test and *Daphnia magna* acute lethality test at least once a month on the quarry water effluent according to procedures published in Environment Canada publications entitled "Biological Test Method: Reference Method for Determining Acute Lethality of Effluents to Rainbow Trout", dated July 1990 and "Biological Test Method: Reference Method for Determining Acute Lethality of Effluents to *Daphnia magna* ", dated July 1990 and as updated from time to time.

(2) The acute lethality tests shall be carried out on a grab sample as a single concentration test using 100 per cent quarry water effluent.

(3) A minimum of two samples shall be tested for either test animal per each discharge period.

9. RECEIVER INSPECTION

The *Owner* shall, at least once per year, undertake a visual inspection of the downstream ditches for evidence of erosion and/or flooding and shall report the observations in the annual report.

10. REPORTING

(1) One week prior to the start up of the operation of the *Works* , the *Owner* shall notify the *District Manager* (in writing) of the pending start up date.

(2) The *Owner* shall report to the *District Manager* or designate, any exceedance of any parameter specified in Condition 5 orally, forthwith, and in writing within seven (7) days of the exceedance.

(3) In addition to the obligations under Part X of the *Environmental Protection Act* , the *Owner* shall, within 10 working days of the occurrence of any spill, bypass or loss of any product, by product, intermediate product, oils, solvents, waste material or any other polluting substance into the environment, submit a full written report of the occurrence to the *District Manager* describing the cause and discovery of the spill or loss, clean-up and recovery measures taken, preventative measures to be taken and schedule of implementation.

(4) The *Owner* shall submit quarterly reports of the information obtained under Conditions 7 and 8 within 30 days of the end of each quarter.

(5) The *Owner* shall prepare and submit a performance report to the *District Manager* on an annual basis within sixty (60) days following the end of the period being reported upon. The first such report shall cover the first annual period following the commencement of operation of the *Works* and subsequent reports shall be submitted to cover successive annual periods following thereafter. The reports shall contain, but shall not be limited to, the following information:

- (a) a summary and interpretation of all monitoring data and a comparison to the effluent limits outlined in Condition 5, including an overview of the success and adequacy of the sewage works;
- (b) a description of any operating problems encountered and corrective actions taken;
- (c) a summary of all maintenance carried out on any major structure, equipment, apparatus, mechanism or thing forming part of the sewage works;
- (d) a summary of any effluent quality assurance or control measures undertaken in the reporting period; and
- (e) a summary of the calibration and maintenance carried out on all effluent monitoring equipment.

Schedule A

Environmental Compliance Approval (ECA) supporting documents:

1. Application for Approval of Industrial Sewage Works submitted by Thomas S. McCarthy dated July 21, 2001 and revised January 25, 2002;
2. McCarthy Property - Certificate of Approval Application prepared by Dixon Hydrogeology Limited dated July 2001;
3. Revised Permit to Take Water - McCarthy Property prepared by Dixon Hydrogeology Limited dated April 11, 2002;
4. Letter and attachments dated January 25, 2002 from John Easton of Dixon Hydrogeology Limited to Mohamed Dhalla of the Ministry of the Environment;
5. Letter and attachments dated April 1, 2002 from Dave Hulme of Dave T. Hulme Enterprises Inc. to Stefanos Habtom of the Ministry of the Environment;
6. Letter dated April 10, 2002 from John Easton of Dixon Hydrogeology Limited to Stefanos Habtom of the Ministry of the Environment;
7. Environmental Review Amended Tribunal Decision: 02-214/02-217 and 03-188/03-189, dated May 25, 2006 - Trent Talbot River Property Owners Association, Marchand Lamarre and Jodi McIntosh v. Director, Ministry of the Environment; and
8. Notification of Change of Address/Ownership dated June 29, 2012, MOE Reference Number 3620-8VQPTZ acknowledging change in company address/ownership from Thomas S. McCarty, Rural Route No.1 Brechin, Ontario, L0K 1B0 to QBJR Aggregates Inc., 949 Wilson Ave., Toronto, Ontario, M3K 1G.

1. The portions of the environmental compliance approval or each term or condition in the environmental compliance approval in respect of which the hearing is required, and;
2. The grounds on which you intend to rely at the hearing in relation to each portion appealed

Pursuant to subsection 139(3) of the Environmental Protection Act, a hearing may not be required with respect to any terms and conditions in this environmental compliance approval, if the terms and conditions are substantially the same as those contained in an approval that is amended or revoked by this environmental compliance approval.

The Notice should also include:

3. The name of the appellant;
4. The address of the appellant;
5. The environmental compliance approval number;
6. The date of the environmental compliance approval;
7. The name of the Director, and;
8. The municipality or municipalities within which the project is to be engaged in

And the Notice should be signed and dated by the appellant.

This Notice must be served upon:

The Secretary*
Environmental Review Tribunal
655 Bay Street, Suite 1500
Toronto, Ontario
M5G 1E5

AND

The Director appointed for the purposes of
Part II.1 of the Environmental Protection Act
Ministry of the Environment
2 St. Clair Avenue West, Floor 12A
Toronto, Ontario
M4V 1L5

* Further information on the Environmental Review Tribunal's requirements for an appeal can be obtained directly from the Tribunal at: Tel: (416) 212-6349, Fax: (416) 314-4506 or www.ert.gov.on.ca

The above noted activity is approved under s.20.3 of Part II.1 of the Environmental Protection Act.

DATED AT TORONTO this 15th day of October, 2013



Edgardo Tovilla
Director
appointed for the purposes of Part II.1 of the
Environmental Protection Act



APPENDIX B

Permit To Take Water No. 7818-9QJNL4

PERMIT TO TAKE WATER
Ground Water
NUMBER 7818-9QJNL4

Pursuant to Section 34 of the Ontario Water Resources Act, R.S.O. 1990 this Permit To Take Water is hereby issued to:

QBJR Aggregates Inc.
949 Wilson Ave
Toronto, Ontario, M3K 1G2
Canada

For the water taking from: Quarry Sump, McCarthy Quarry

Located at: Lot 1, Concession 1, Geographic Township of Mara
Ramara, County of Simcoe

For the purposes of this Permit, and the terms and conditions specified below, the following definitions apply:

DEFINITIONS

- (a) "Director" means any person appointed in writing as a Director pursuant to section 5 of the OWRA for the purposes of section 34, OWRA.
- (b) "Provincial Officer" means any person designated in writing by the Minister as a Provincial Officer pursuant to section 5 of the OWRA.
- (c) "Ministry" means Ontario Ministry of the Environment and Climate Change.
- (d) "District Office" means the Barrie District Office.
- (e) "Permit" means this Permit to Take Water No. 7818-9QJNL4 including its Schedules, if any, issued in accordance with Section 34 of the OWRA.
- (f) "Permit Holder" means QBJR Aggregates Inc..
- (g) "OWRA " means the *Ontario Water Resources Act*, R.S.O. 1990, c. O. 40, as amended.

You are hereby notified that this Permit is issued subject to the terms and conditions outlined below:

TERMS AND CONDITIONS

1. Compliance with Permit

- 1.1 Except where modified by this Permit, the water taking shall be in accordance with the application for this Permit To Take Water, dated October 7, 2014 and signed by Jenny Coco, and all Schedules included in this Permit.
- 1.2 The Permit Holder shall ensure that any person authorized by the Permit Holder to take water under this Permit is provided with a copy of this Permit and shall take all reasonable measures to ensure that any such person complies with the conditions of this Permit.
- 1.3 Any person authorized by the Permit Holder to take water under this Permit shall comply with the conditions of this Permit.
- 1.4 This Permit is not transferable to another person.
- 1.5 This Permit provides the Permit Holder with permission to take water in accordance with the conditions of this Permit, up to the date of the expiry of this Permit. This Permit does not constitute a legal right, vested or otherwise, to a water allocation, and the issuance of this Permit does not guarantee that, upon its expiry, it will be renewed.
- 1.6 The Permit Holder shall keep this Permit available at all times at or near the site of the taking, and shall produce this Permit immediately for inspection by a Provincial Officer upon his or her request.
- 1.7 The Permit Holder shall report any changes of address to the Director within thirty days of any such change. The Permit Holder shall report any change of ownership of the property for which this Permit is issued within thirty days of any such change. A change in ownership in the property shall cause this Permit to be cancelled.

2. General Conditions and Interpretation

2.1 Inspections

The Permit Holder must forthwith, upon presentation of credentials, permit a Provincial Officer to carry out any and all inspections authorized by the OWRA, the *Environmental Protection Act*, R.S.O. 1990, the *Pesticides Act*, R.S.O. 1990, or the *Safe Drinking Water Act*, S. O. 2002.

2.2 Other Approvals

The issuance of, and compliance with this Permit, does not:

- (a) relieve the Permit Holder or any other person from any obligation to comply with any other applicable legal requirements, including the provisions of the *Ontario Water Resources Act*, and the *Environmental Protection Act*, and any regulations made thereunder; or

(b) limit in any way any authority of the Ministry, a Director, or a Provincial Officer, including the authority to require certain steps be taken or to require the Permit Holder to furnish any further information related to this Permit.

2.3 Information

The receipt of any information by the Ministry, the failure of the Ministry to take any action or require any person to take any action in relation to the information, or the failure of a Provincial Officer to prosecute any person in relation to the information, shall not be construed as:

(a) an approval, waiver or justification by the Ministry of any act or omission of any person that contravenes this Permit or other legal requirement; or

(b) acceptance by the Ministry of the information's completeness or accuracy.

2.4 Rights of Action

The issuance of, and compliance with this Permit shall not be construed as precluding or limiting any legal claims or rights of action that any person, including the Crown in right of Ontario or any agency thereof, has or may have against the Permit Holder, its officers, employees, agents, and contractors.

2.5 Severability

The requirements of this Permit are severable. If any requirements of this Permit, or the application of any requirements of this Permit to any circumstance, is held invalid or unenforceable, the application of such requirements to other circumstances and the remainder of this Permit shall not be affected thereby.

2.6 Conflicts

Where there is a conflict between a provision of any submitted document referred to in this Permit, including its Schedules, and the conditions of this Permit, the conditions in this Permit shall take precedence.

3. Water Takings Authorized by This Permit

3.1 Expiry

This Permit expires on **December 31, 2019**. No water shall be taken under authority of this Permit after the expiry date.

3.2 Amounts of Taking Permitted

The Permit Holder shall only take water from the source, during the periods and at the rates and amounts of taking specified in Table A. Water takings are authorized only for the purposes specified in Table A.

Table A

| | Source Name / Description: | Source: Type: | Taking Specific Purpose: | Taking Major Category: | Max. Taken per Minute (litres): | Max. Num. of Hrs Taken per Day: | Max. Taken per Day (litres): | Max. Num. of Days Taken per Year: | Zone/ Easting/ Northing: |
|---|----------------------------|----------------|--------------------------|------------------------|---------------------------------|---------------------------------|------------------------------|-----------------------------------|--------------------------|
| 1 | Quarry Sump | Pond Connected | Pits and Quarries | Dewatering | 4,545 | 24 | 6,544,800 | 150 | 17 650950 4933500 |
| | | | | | | Total Taking: | 6,544,800 | | |

3.3 There is an additional water taking limitation per year for Source 1 described as Quarry Sump within Table A. The maximum taking per year from the Quarry Sump is 196,500,000 litres.

4. Monitoring

4.1 The Permit Holder shall not lower the water in the quarry below an elevation of 232.0 metres above sea level.

4.2 The Permit Holder shall establish and maintain a weather station within 1 km of the McCarthy Quarry property that collects and records, at a minimum, the following climatic data on a daily basis:

- a) Precipitation (rain and/or snow); and
- b) Temperature (maximum and minimum).

4.3 The Permit Holder shall conduct daily water level monitoring with the use of pressure transducers and data loggers at:

- a) The residential well known by the MOE Water Well Record Number 5727662 and identified as well DW3 on Figure 2 in Item 2 of Schedule A of this Permit, if granted permission by the property owner.
- b) The monitoring wells named OW4-1, OW4-2, OW5-1, OW6-1, OW6-2, OW9-1, OW9-2, and Bored Well (shown on Figure 2, in Item 2 of Schedule A of this Permit).
- c) The City of Kwartha Lakes monitoring well CKL-1, if granted permission by the property owner .

These pressure transducers and data loggers shall be inspected and downloaded at least every 6 months.

4.4 The Permit Holder shall conduct monthly water level monitoring with the use of a manual water level meter at:

- a) The residential well known by the MOE Water Well Record Number 5727662 and identified as well DW3 on Figure 2 in Item 2 of Schedule A of this Permit, if granted permission by the property owner.
- b) The residential wells named DW1, DW2, and DW4, if granted permission by the property owner (shown on Figure 2, in Item 2 of Schedule A of this Permit).

- c) The monitoring wells named AM1b, AMx, TW1-1, OW4-1, OW4-2, OW5-1, OW5-2, OW5-3, OW6-1, OW6-2, OW6-3, OW7-1, OW7-2, OW7-3, OW8-1, OW8-2, OW8-3, OW9-1, OW9-2, and Bored Well (shown on Figure 2 in Item 2 of Schedule A of this Permit).
- d) The City of Kwartha Lakes monitoring wells CKL-1 and CKL-2, if granted permission by the property owner .

The Permit Holder may suspend monthly water level monitoring under Condition 4.4 for the months of January and/or February if no water is taken from the quarry on those months.

- 4.5 The Permit Holder shall, if granted permission by the property owner, measure and record static water levels in the residential wells named DW5, DW6, DW7, and DW8, as shown on Figure 2 in Item 2 of Schedule A of this Permit, at least once in every two (2) month period during which water is taken from the quarry. The Permit Holder may suspend monthly water level monitoring under Condition 4.5 for the months of January and/or February if no water is taken from the quarry on those months.
- 4.6 The Permit Holder shall, if granted permission by the property owner, on a semi-annual basis collect raw water samples from the residential wells named DW1, DW2, and the well identified in condition 4.3(a). Each sample shall be tested, at a minimum, for the parameters listed in Table 1 below:

Table 1: Water Quality Parameters for Residential Wells

| | | | |
|--------------------|-------------|--------------|----------------------|
| pH | Sulphate | DOC | Copper |
| Alkalinity (CaCO3) | Magnesium | Colour | Iron |
| Bicarbonate | Calcium | Turbidity | Lead |
| Conductivity | Sodium | Aluminium | Manganese |
| Fluoride | Potassium | Arsenic | Selenium |
| Chloride | Ammonia (N) | Barium | Zinc |
| Nitrate | Phosphate | Boron | Hardness (CaCO3) |
| Nitrite | Phosphorus | Cadmium | TDS (iron sum calc.) |
| Chromium | Anion Sum | Ion Ratio | Langelier Index |
| Tannins | Cation Sum | % Difference | |

The Permit Holder shall immediately report to the respective well owner, the Director, and District Office any sampling result that exceeds the Ontario Drinking Water Quality Standards as prescribed by O.Reg. 169/03, as amended.

- 4.7 The Permit Holder shall on a semi-annual basis conduct the groundwater quality monitoring from the on-site groundwater monitors listed in Table 2. Each sample shall be tested, at a minimum, for the parameters listed in Table 3.

Table 2: On-Site Groundwater Monitors for Water Quality Sampling

| | | | |
|------------|--------|---------|--------|
| AM1b | OW4-I | OW5-III | OW8-I |
| AMx | OW4-II | OW6-II | OW8-II |
| TW1-1 | OW5-I | OW7-I | OW9-I |
| Bored Well | OW5-II | OW7-II | OW9-II |

Table 3: Water Quality Parameters for On-Site Groundwater Monitors

| | | | |
|-------------|-----------|------------|--------------|
| pH | Magnesium | Sulphate | Conductivity |
| Alkalinity | Calcium | Nitrate | DOC |
| Bicarbonate | Sodium | Nitrite | Colour |
| Fluoride | Potassium | Phosphate | TDS |
| Chloride | Ammonia | Phosphorus | Hardness |

- 4.8 Monitoring well AMx is within the quarry extraction area and will be mined out as the quarry face advances to the south. The Permit Holder shall continue to monitor AMx as listed in Conditions 4.4 and 4.7 until such monitoring is either deemed unsafe or the monitoring is not possible due to damage to AMx. Once monitoring of AMx is not possible under Conditions 4.4 and/or 4.7, then a replacement monitoring well must be established along the western property boundary between the quarry face and OW4. This replacement well shall be monitored as per Conditions 4.4 and 4.7 instead of AMx.
- 4.9 The Permit Holder shall notify the Director, in writing, within 30 days if the groundwater level or groundwater quality monitoring of any well listed under conditions 4.3, 4.4, 4.5, 4.6, and 4.7 is not possible, including being denied access to a private well. In the event of damage or loss of any monitoring well, monitoring devices or related equipment, the Permit Holder shall be allowed 30 calendar days from the date of discovery of the occurrence to repair or replace equipment. If a well is too damaged to be repaired or monitored, or if the well is deemed unsafe to be monitored, then the Director will decide if a replacement well is required and will modify the appropriate monitoring conditions in a written letter to the Permit Holder.
- 4.10 The Permit Holder shall maintain a record of all water takings. This record shall include the dates and times of water takings, and the total measured or calculated amounts for water pumped per day for each day that water is taken under the authorization of this Permit.
- 4.11 The Permit Holder shall keep all required records up to date and available at or near the site of the taking and shall produce the records immediately for inspection by a Provincial Officer upon his or her request.
- 4.12 The Permit Holder shall provide to the Director an annual monitoring report no

later than March 1 each year during the life of this Permit. The annual monitoring report shall be prepared by an individual with P.Geo. or equivalent qualifications and shall include, at a minimum:

- a) The review and assessment of all monitoring data required by this Permit.
- b) An up-date of the quarry operations and predicted quarrying and dewatering for the next twelve (12) months.
- c) An assessment of the groundwater trends using the on-site on off-site monitoring data. This analysis should state the actual impact area of quarry dewatering and determine the potential for off-site impacts. If any impacts are predicted then a detailed mitigation plan shall be included within this report.
- d) Analysis that includes amount of water pumped, precipitation data, and an estimate of how much groundwater was pumped versus surface water.
- e) Figures that include site maps with current quarry depths, groundwater contour maps, impact area of quarry dewatering, groundwater elevation graphs, and geological cross-sections.
- f) Any groundwater interference complaints.
- g) Description of all communication with the public.
- h) Conclusions and recommendations, if any, to improve the monitoring and reporting at the site.

An electronic copy of the data collected must also accompany the report.

4.13 The Permit Holder shall make available on a publicly-accessible site on the internet the water quality and quantity data that it is required to monitor and record under this Permit and O.Reg. 387/04, as amended, and a copy of every report that is required to be prepared under this Permit. For greater clarity, the Permit Holder shall not publish any personal information as defined by the *Freedom of Information and Protection of Privacy Act*, R.S.O. 1990, c. F.31, as amended.

4.14 The Permit Holder shall maintain a Public Liaison Committee ("PLC") comprised of not more than seven (7) members that will meet at least once every four (4) months, unless the majority of the PLC decide that more or less frequent meetings are required. The PLC shall be comprised of: two (2) members appointed by the Permit Holder - one of whom shall act as Chairperson; one (1) member from each of the Township and the County, if they wish to have representatives; and three (3) members appointed by the public, if they wish to have representatives, who must be permanent residents within a 3 kilometre radius of the quarry property. The PLC shall serve in an advisory / community liaison role and shall have no powers to direct the Permit Holder or the Ministry.

4.15 Any request for an amendment or renewal of this Permit must be accompanied by a report prepared by an individual with P.Geo. or equivalent qualifications and shall include, at a minimum:

- a) The review and assessment of all monitoring data required by this Permit.
- b) An up-date of the quarry operations and predicted quarrying and dewatering for the duration of the requested permit.
- c) An assessment of the groundwater trends using the on-site on off-site monitoring

data. This analysis should state the actual impact area of quarry dewatering and determine the potential for off-site impacts. If any impacts are predicted then a detailed mitigation plan shall be included within this report.

- d) Analysis that includes amount of water pumped, precipitation data, and an estimate of how much groundwater was pumped versus surface water.
- e) Figures that include site maps with current quarry depths, groundwater contour maps, impact area of quarry dewatering, groundwater elevation graphs, and geological cross-sections.
- f) Any groundwater interference complaints.
- g) Description of all communication with the public.
- h) Conclusions and recommendations, if any, to improve the monitoring and reporting at the site.

An electronic copy of the data collected must also accompany the report. Any application for renewal of this Permit must be submitted to the Ministry at least ninety (90) days prior to the expiry of this Permit.

- 4.16 The Permit Holder shall, as directed by the Ministry, participate in a cumulative impact assessment for the Carden Plain Area with other quarry operators who have been issued a permit to take water in this area.

5. Impacts of the Water Taking

5.1 Notification

The Permit Holder shall immediately notify the local District Office of any complaint arising from the taking of water authorized under this Permit and shall report any action which has been taken or is proposed with regard to such complaint. The Permit Holder shall immediately notify the local District Office if the taking of water is observed to have any significant impact on the surrounding waters. After hours, calls shall be directed to the Ministry's Spills Action Centre at 1-800-268-6060.

5.2 For Groundwater Takings

If the taking of water is observed to cause any negative impact to other water supplies obtained from any adequate sources that were in use prior to initial issuance of a Permit for this water taking, the Permit Holder shall take such action necessary to make available to those affected, a supply of water equivalent in quantity and quality to their normal takings, or shall compensate such persons for their reasonable costs of so doing, or shall reduce the rate and amount of taking to prevent or alleviate the observed negative impact. Pending permanent restoration of the affected supplies, the Permit Holder shall provide, to those affected, temporary water supplies adequate to meet their normal requirements, or shall compensate such persons for their reasonable costs of doing so.

If permanent interference is caused by the water taking, the Permit Holder shall restore the water supplies of those permanently affected.

- 5.2.1 Where the water supply provided by the well known by MOE Water Well Record Number 5727662 is restored in accordance with Condition 5.2, the Permit Holder shall

restore the supply in a manner satisfactory to the Director, taking into account the residential needs, requirements and preferences of the persons serviced by the well.

- 5.3 Upon the receipt of a groundwater interference complaint, the Permit Holder shall:
- a) Implement the McCarthy Quarry Complaint Resolution Process as described in Item 3 of Schedule A of this Permit.
 - b) In addition, appropriate notification and actions must be taken as described in conditions 5.1 and 5.2 of this Permit. The provisions of conditions 5.1 and 5.2 shall take precedence over the provisions of condition 5.3(a) if there is a conflict.

6. Director May Amend Permit

The Director may amend this Permit by letter requiring the Permit Holder to suspend or reduce the taking to an amount or threshold specified by the Director in the letter. The suspension or reduction in taking shall be effective immediately and may be revoked at any time upon notification by the Director. This condition does not affect your right to appeal the suspension or reduction in taking to the Environmental Review Tribunal under the *Ontario Water Resources Act*, Section 100 (4).

The reasons for the imposition of these terms and conditions are as follows:

1. Condition 1 is included to ensure that the conditions in this Permit are complied with and can be enforced.
2. Condition 2 is included to clarify the legal interpretation of aspects of this Permit.
3. Conditions 3 through 6 are included to protect the quality of the natural environment so as to safeguard the ecosystem and human health and foster efficient use and conservation of waters. These conditions allow for the beneficial use of waters while ensuring the fair sharing, conservation and sustainable use of the waters of Ontario. The conditions also specify the water takings that are authorized by this Permit and the scope of this Permit.

*In accordance with Section 100 of the Ontario Water Resources Act, R.S.O. 1990, you may by written notice served upon me, the Environmental Review Tribunal and the Environmental Commissioner, **Environmental Bill of Rights**, R.S.O. 1993, Chapter 28, within 15 days after receipt of this Notice, require a hearing by the Tribunal. The Environmental Commissioner will place notice of your appeal on the Environmental Registry. Section 101 of the Ontario Water Resources Act, as amended provides that the Notice requiring a hearing shall state:*

1. The portions of the Permit or each term or condition in the Permit in respect of which the hearing is required, and;
2. The grounds on which you intend to rely at the hearing in relation to each portion appealed.

In addition to these legal requirements, the Notice should also include:

3. The name of the appellant;
4. The address of the appellant;
5. The Permit to Take Water number;
6. The date of the Permit to Take Water;
7. The name of the Director;
8. The municipality within which the works are located;

This notice must be served upon:

*The Secretary
Environmental Review Tribunal
655 Bay Street, 15th Floor
Toronto ON
M5G 1E5
Fax: (416) 314-4506
Email:
ERTTribunalsecretary@ontario.ca*

AND

*The Environmental Commissioner
1075 Bay Street
6th Floor, Suite 605
Toronto, Ontario M5S 2W5*

AND

*The Director, Section 34,
Ministry of the Environment and
Climate Change
8th Floor
5775 Yonge St
Toronto ON M2M 4J1
Fax: (416) 325-6347*

Further information on the Environmental Review Tribunal's requirements for an appeal can be obtained directly from the Tribunal:

by telephone at (416) 314-4600

by fax at (416) 314-4506

by e-mail at www.ert.gov.on.ca

*This instrument is subject to Section 38 of the **Environmental Bill of Rights** that allows residents of Ontario to seek leave to appeal the decision on this instrument. Residents of Ontario may seek to appeal for 15 days from the date this decision is placed on the Environmental Registry. By accessing the Environmental Registry, you can determine when the leave to appeal period ends.*

This Permit cancels and replaces Permit Number 8271-8VQJGU, issued on 2012/07/11.

Dated at Toronto this 30th day of December, 2014.



Helen Zhang, P.Eng.

Director, Section 34

Ontario Water Resources Act , R.S.O. 1990

Schedule A

This Schedule "A" forms part of Permit To Take Water 7818-9QJNL4, dated December 30, 2014.

1. Permit To Take Water Application, signed by Jenny Coco, October 7, 2014.
2. Permit To Take Water Application - Renewal Application for McCarthy Quarry, Township of Ramara. Golder Associates Ltd. October 2014.
3. McCarthy Quarry Complaint Resolution Process, Golder Associates Ltd. November 2014.
4. Further Changes to PTTW No. 8271-8VQJGU. Golder Associates Ltd. November 11, 2014.



APPENDIX C (ON CD)

Water Quality Results

As a global, employee-owned organisation with over 50 years of experience, Golder Associates is driven by our purpose to engineer earth's development while preserving earth's integrity. We deliver solutions that help our clients achieve their sustainable development goals by providing a wide range of independent consulting, design and construction services in our specialist areas of earth, environment and energy.

For more information, visit golder.com

| | |
|---------------|-------------------|
| Africa | + 27 11 254 4800 |
| Asia | + 86 21 6258 5522 |
| Australasia | + 61 3 8862 3500 |
| Europe | + 44 1628 851851 |
| North America | + 1 800 275 3281 |
| South America | + 56 2 2616 2000 |

solutions@golder.com
www.golder.com

Golder Associates Ltd.
121 Commerce Park Drive, Unit L
Barrie, Ontario, L4N 8X1
Canada
T: +1 (705) 722 4492

